

## Dasqua Non Contact Temperature Monitor

P / N: IT 00320



- Rugged Pistol type
- Simple one hand operation
- Automatic Power off
- Display hold function
- Measuring Range -20°C to 320°C
- Emissivity 0.95
- Accuracy +/- 2 °C
- Power Supply 1x 9V battery
- 16 hours - continuous work time

## Dasqua Non Contact Temperature Monitor

- This hand held infra-red thermometer is an economical solution to measuring general surface temperatures – to read a particular spot on a surface - measuring from -20 °C - 320 °C with a response time of 500mSec
- It will deliver accurate temperatures instantly
- Emissivity setting - is fixed at 0.95 – meaning that the unit will deliver accuracy on most non-shiny surfaces.



### Specifications

<b>Temperature range</b>	<b>-20 - 320°C</b>
<b>Measurement range</b>	<b>-20 °C -320 °C</b>
<b>Response time</b>	<b>500ms</b>
<b>Operation Temp</b>	<b>0°C - 40 °C</b>
<b>Emissivity</b>	<b>Fixed at 0.95</b>
<b>Backlight shut off</b>	<b>No action in 7 s</b>
<b>Auto Power Off</b>	<b>Automatically off after 7 s</b>
<b>Power supply</b>	<b>1x 9V battery</b>
<b>Storage temp.</b>	<b>-20 - 60°C</b>
<b>Product dimensions</b>	<b>152mmx118mmx32mm</b>
<b>Product weight</b>	<b>125 g without battery</b>
<b>Battery life</b>	<b>16 hrs</b>

ABC Silverwater p: 9648 0755 e: [silverwater@abcbearings.com.au](mailto:silverwater@abcbearings.com.au)  
 ABC Smithfield p: 9725 5944 e: [smithfield@abcbearings.com.au](mailto:smithfield@abcbearings.com.au)  
 ABC Brookvale p: 9939 2555 e: [brookvale@abcbearings.com.au](mailto:brookvale@abcbearings.com.au)

## Dasqua Non Contact Temperature Monitor

### Applications:



- Industrial
- Food processing
- Electrical troubleshooting
- Manufacturing process QC & maintenance
- Automotive repair & maintenance
- Monitor status of electric motors & panels
- Test terminals on circuits
- Pump maintenance
- Marine
- Air Conditioning/ Refrigeration




ABC Silverwater p: 9648 0755 e: [silverwater@abcbearings.com.au](mailto:silverwater@abcbearings.com.au)  
ABC Smithfield p: 9725 5944 e: [smithfield@abcbearings.com.au](mailto:smithfield@abcbearings.com.au)  
ABC Brookvale p: 9939 2555 e: [brookvale@abcbearings.com.au](mailto:brookvale@abcbearings.com.au)

## Electronic/ Digital Calipers

### Dasqua - Splash Proof Digital Caliper

- Large screen readout - 15mm character height -
- 200mm / 12" Range –
- Hardened ground measuring surface- silky smooth movement
- 3 readings Metric - Imperial – Fractions



P/N: CE150LS54 -150MM

P/N: CE200LS54 - 200mm

P/N: CE300LS54 – 300mm

P/N: CE 600 – 500mm - Large 100mm jaws

## Dasqua - Vernier Calipers



- Hardened, grounded, and lapped measuring surfaces.
  - Silky smooth movement throughout.
  - Distinct lines and figures for easy reading against the satin finish.
  - The 4-way jaw for outside, inside, depth, and step measurement
- 
- P/N CV150ME - 150mm (6" inches) - hardened stainless steel
  - P/N CV150MEFA -150mm (6" inches) Fine adjustment - hardened stainless steel
  - P/N CV200ME – 200mm (8" inches) - hardened stainless steel

## Dasqua - Large Jaw Vernier calipers



- Stainless Steel construction
  - Silky smooth movement throughout
  - Distinct lines& figures for easy reading
  - 4 way jaw - for outside /inside/depth & step measurement
- 
- P/N CV200MEFA - 200mm Jaws ( 8" inches) Fine adjustment - hardened stainless steel
  - P/N CV500MEFA - 500mm – Fine adjustment - hardened stainless steel
  - P/N CV500MEFALJ – 500mm – Fine adjustment -150mm Jaws - hardened stainless steel

N.B. ask us about other available models.

ABC bearings Silverwater 9648 0455 e: [silverwater@abcbearings.com.au](mailto:silverwater@abcbearings.com.au)  
ABC bearings Smithfield 9725 5944 e: [smithfield@abcbearings.com.au](mailto:smithfield@abcbearings.com.au)  
ABC bearings Brookvale 99392555 e: [brookvale@abcbearings.com.au](mailto:brookvale@abcbearings.com.au)