

Shaft size sequence - Metric

Shaft Size	Housing	Width	Type	Part No.	F/Grp	Shaft Size	Housing	Width	Type	Part No.	F/Grp
24.00	34.00	7.00	TC	TC12454	1.6	30.00	58.00	10.00	TC	TC12498	1.6
24.00	35.00	7.00	TC	TC12455	1.6	30.00	60.00	8.00	TC	TC12499	1.6
24.00	37.00	7.00	TC	TC12456	1.6	30.00	62.00	7.00	TC	TC12500	1.6
24.00	38.00	8.00	TC	TC12457	1.6	30.00	65.00	8.00	TC	TC12840	1.6
24.00	40.00	7.00	TC	TC12458	1.6	30.00	70.00	8.00	TC	TC12841	1.6
24.00	42.00	7.00	TC	TC12459	1.6	30.00	72.00	8.00	TC	TC12501	1.6
24.00	47.00	7.00	TC	TC12460	1.6						
24.00	50.00	8.00	TC	TC12829	1.6	32.00	42.00	7.00	TC	TC12502	1.6
24.00	52.00	8.00	TC	TC12830	1.6	32.00	45.00	7.00	TC	TC12503	1.6
						32.00	46.00	8.00	TC	TC12842	1.6
25.00	32.00	4.00	TC	TC12461	1.6	32.00	47.00	7.00	TC	TC12504	1.6
25.00	35.00	4.00	TC	TC12462	1.6	32.00	48.00	7.00	TC	TC12505	1.6
25.00	35.00	7.00	TC	TC12463	1.6	32.00	50.00	10.00	TC	TC12506	1.6
25.00	36.00	7.00	TC	TC12464	1.6	32.00	52.00	7.00	TC	TC12507	1.6
25.00	37.00	7.00	TC	TC12465	1.6	32.00	54.00	8.00	TC	TC12843	1.6
25.00	38.00	7.00	TC	TC12466	1.6	32.00	55.00	7.00	TC	TC12508	1.6
25.00	39.00	7.00	TC	TC12467	1.6	32.00	56.00	8.00	TC	TC12509	1.6
25.00	40.00	7.00	TC	TC12468	1.6	32.00	58.00	8.00	TC	TC12844	1.6
25.00	42.00	7.00	TC	TC12469	1.6	32.00	62.00	8.00	TC	TC12510	1.6
25.00	45.00	7.00	TC	TC12470	1.6						
25.00	46.00	7.00	TC	TC12471	1.6	33.00	45.00	7.00	TC	TC12511	1.6
25.00	47.00	7.00	TC	TC12472	1.6	33.00	50.00	10.00	TC	TC12512	1.6
25.00	50.00	8.00	TC	TC12831	1.6	33.00	52.00	6.00	TC	TC12513	1.6
25.00	52.00	7.00	TC	TC12473	1.6						
25.00	62.00	7.00	TC	TC12474	1.6	34.00	47.00	7.00	TC	TC12514	1.6
						34.00	48.00	8.00	TC	TC12845	1.6
26.00	37.00	7.00	TC	TC12475	1.6	34.00	50.00	8.00	TC	TC12846	1.6
26.00	40.00	8.00	TC	TC12832	1.6	34.00	52.00	8.00	TC	TC12515	1.6
26.00	42.00	7.00	TC	TC12476	1.6	34.00	54.00	8.00	TC	TC12847	1.6
26.00	47.00	7.00	TC	TC12477	1.6	34.00	55.00	8.00	TC	TC12848	1.6
26.00	52.00	8.00	TC	TC12833	1.6	34.00	58.00	8.00	TC	TC12849	1.6
						34.00	62.00	10.00	TC	TC12516	1.6
27.00	37.00	7.00	TC	TC12478	1.6						
27.00	42.00	10.00	TC	TC12479	1.6	35.00	42.00	4.00	TC	TC12517	1.6
27.00	47.00	8.00	TC	TC12834	1.6	35.00	45.00	7.00	TC	TC12518	1.6
						35.00	47.00	7.00	TC	TC12519	1.6
28.00	37.00	4.00	TC	TC12480	1.6	35.00	48.00	8.00	TC	TC12520	1.6
28.00	38.00	7.00	TC	TC12481	1.6	35.00	50.00	7.00	TC	TC12521	1.6
28.00	40.00	7.00	TC	TC12482	1.6	35.00	52.00	7.00	TC	TC12522	1.6
28.00	42.00	8.00	TC	TC12835	1.6	35.00	54.00	8.00	TC	TC12850	1.6
28.00	43.00	7.00	TC	TC12483	1.6	35.00	55.00	8.00	TC	TC12523	1.6
28.00	45.00	8.00	TC	TC12836	1.6	35.00	56.00	10.00	TC	TC12524	1.6
28.00	47.00	7.00	TC	TC12484	1.6	35.00	58.00	10.00	TC	TC12525	1.6
28.00	48.00	8.00	TC	TC12837	1.6	35.00	60.00	10.00	TC	TC12526	1.6
28.00	50.00	8.00	TC	TC12838	1.6	35.00	62.00	7.00	TC	TC12527	1.6
28.00	52.00	7.00	TC	TC12485	1.6	35.00	64.00	13.00	TC	TC12910	1.6
						35.00	65.00	10.00	TC	TC12528	1.6
30.00	37.00	4.00	TC	TC12486	1.6	35.00	68.00	8.00	TC	TC12851	1.6
30.00	40.00	7.00	TC	TC12487	1.6	35.00	70.00	8.00	TC	TC12529	1.6
30.00	42.00	7.00	TC	TC12488	1.6	35.00	72.00	10.00	TC	TC12530	1.6
30.00	43.00	8.00	TC	TC12489	1.6	35.00	75.00	8.00	TC	TC12852	1.6
30.00	44.00	9.00	TC	TC12490	1.6	35.00	80.00	10.00	TC	TC12531	1.6
30.00	45.00	7.00	TC	TC12491	1.6						
30.00	46.00	8.00	TC	TC12839	1.6	36.00	47.00	7.00	TC	TC12532	1.6
30.00	47.00	7.00	TC	TC12492	1.6	36.00	50.00	7.00	TC	TC12533	1.6
30.00	48.00	7.00	TC	TC12493	1.6	36.00	52.00	7.00	TC	TC12534	1.6
30.00	50.00	8.00	TC	TC12494	1.6	36.00	54.00	8.00	TC	TC12535	1.6
30.00	52.00	7.00	TC	TC12495	1.6	36.00	55.00	8.00	TC	TC12853	1.6
30.00	55.00	7.00	TC	TC12496	1.6	36.00	58.00	8.00	TC	TC12854	1.6
30.00	56.00	10.00	TC	TC12497	1.6	36.00	62.00	7.00	TC	TC12536	1.6

Shaft size sequence - Metric

Shaft Size	Housing	Width	Type	Part No.	F/Grp	Shaft Size	Housing	Width	Type	Part No.	F/Grp
36.00	68.00	10.00	TC	TC12537	1.6	45.00	65.00	8.00	TC	TC12578	1.6
36.00	72.00	8.00	TC	TC12855	1.6	45.00	68.00	10.00	TC	TC12579	1.6
						45.00	70.00	8.00	TC	TC12868	1.6
37.00	52.00	7.00	TC	TC12538	1.6	45.00	72.00	8.00	TC	TC12580	1.6
						45.00	75.00	8.00	TC	TC12581	1.6
38.00	50.00	7.00	TC	TC12539	1.6	45.00	80.00	10.00	TC	TC12582	1.6
38.00	52.00	7.00	TC	TC12540	1.6	45.00	85.00	10.00	TC	TC12583	1.6
38.00	54.00	8.00	TC	TC12541	1.6						
38.00	55.00	7.00	TC	TC12542	1.6	46.00	62.00	8.00	TC	TC12869	1.6
38.00	56.00	10.00	TC	TC12543	1.6	46.00	65.00	8.00	TC	TC12870	1.6
38.00	58.00	10.00	TC	TC12544	1.6	46.00	68.00	8.00	TC	TC12871	1.6
38.00	60.00	8.00	TC	TC12545	1.6	46.00	70.00	8.00	TC	TC12872	1.6
38.00	62.00	7.00	TC	TC12546	1.6						
38.00	65.00	8.00	TC	TC12547	1.6	47.00	62.00	8.00	TC	TC12873	1.6
38.00	72.00	8.00	TC	TC12548	1.6	47.00	65.00	10.00	TC	TC12584	1.6
38.00	80.00	8.00	TC	TC12856	1.6	47.00	72.00	8.00	TC	TC12874	1.6
40.00	50.00	8.00	TC	TC12549	1.6	48.00	60.00	8.00	TC	TC12585	1.6
40.00	52.00	7.00	TC	TC12550	1.6	48.00	62.00	8.00	TC	TC12586	1.6
40.00	54.00	7.00	TC	TC12551	1.6	48.00	65.00	10.00	TC	TC12587	1.6
40.00	55.00	8.00	TC	TC12552	1.6	48.00	68.00	10.00	TC	TC12588	1.6
40.00	56.00	8.00	TC	TC12553	1.6	48.00	70.00	8.00	TC	TC12875	1.6
40.00	58.00	10.00	TC	TC12554	1.6	48.00	72.00	8.00	TC	TC12589	1.6
40.00	60.00	7.00	TC	TC12555	1.6	48.00	74.00	10.00	TC	TC12590	1.6
40.00	62.00	7.00	TC	TC12556	1.6	48.00	75.00	10.00	TC	TC12591	1.6
40.00	65.00	8.00	TC	TC12557	1.6	48.00	80.00	8.00	TC	TC12592	1.6
40.00	68.00	7.00	TC	TC12558	1.6	48.00	82.00	8.00	TC	TC12876	1.6
40.00	70.00	8.00	TC	TC12559	1.6	48.00	85.00	8.00	TC	TC12877	1.6
40.00	72.00	7.00	TC	TC12560	1.6						
40.00	72.00	8.00	TC	TC12857	1.6	50.00	58.00	4.00	TC	TC12593	1.6
40.00	75.00	8.00	TC	TC12561	1.6	50.00	62.00	8.00	TC	TC12594	1.6
40.00	80.00	8.00	TC	TC12562	1.6	50.00	65.00	8.00	TC	TC12595	1.6
40.00	85.00	8.00	TC	TC12858	1.6	50.00	68.00	8.00	TC	TC12596	1.6
40.00	90.00	8.00	TC	TC12859	1.6	50.00	70.00	8.00	TC	TC12597	1.6
						50.00	72.00	8.00	TC	TC12598	1.6
42.00	52.00	4.00	TC	TC12563	1.6	50.00	75.00	10.00	TC	TC12599	1.6
42.00	55.00	7.00	TC	TC12564	1.6	50.00	78.00	8.00	TC	TC12878	1.6
42.00	56.00	7.00	TC	TC12565	1.6	50.00	80.00	8.00	TC	TC12600	1.6
42.00	58.00	8.00	TC	TC12860	1.6	50.00	82.00	8.00	TC	TC12601	1.6
42.00	60.00	8.00	TC	TC12566	1.6	50.00	85.00	8.00	TC	TC12602	1.6
42.00	62.00	8.00	TC	TC12567	1.6	50.00	90.00	10.00	TC	TC12603	1.6
42.00	65.00	10.00	TC	TC12568	1.6	50.00	110.00	10.00	TC	TC12604	1.6
42.00	68.00	8.00	TC	TC12861	1.6						
42.00	70.00	8.00	TC	TC12862	1.6	52.00	68.00	8.00	TC	TC12605	1.6
42.00	72.00	8.00	TC	TC12569	1.6	52.00	70.00	8.00	TC	TC12606	1.6
42.00	75.00	8.00	TC	TC12863	1.6	52.00	72.00	8.00	TC	TC12607	1.6
						52.00	75.00	8.00	TC	TC12879	1.6
44.00	58.00	8.00	TC	TC12864	1.6	52.00	78.00	8.00	TC	TC12880	1.6
44.00	60.00	7.00	TC	TC12570	1.6	52.00	80.00	8.00	TC	TC12881	1.6
44.00	62.00	8.00	TC	TC12571	1.6	52.00	82.00	8.00	TC	TC12882	1.6
44.00	65.00	8.00	TC	TC12572	1.6	52.00	85.00	8.00	TC	TC12883	1.6
44.00	68.00	8.00	TC	TC12865	1.6						
44.00	70.00	8.00	TC	TC12866	1.6	53.00	68.00	10.00	TC	TC12608	1.6
44.00	72.00	8.00	TC	TC12867	1.6						
						54.00	68.00	10.00	TC	TC12609	1.6
45.00	52.00	4.00	TC	TC12573	1.6	54.00	72.00	8.00	TC	TC12610	1.6
45.00	55.00	7.00	TC	TC12574	1.6						
45.00	58.00	7.00	TC	TC12575	1.6	55.00	68.00	8.00	TC	TC12611	1.6
45.00	60.00	8.00	TC	TC12576	1.6	55.00	70.00	8.00	TC	TC12612	1.6
45.00	62.00	8.00	TC	TC12577	1.6	55.00	72.00	8.00	TC	TC12613	1.6

Shaft size sequence - Metric

Shaft Size	Housing	Width	Type	Part No.	F/Grp	Shaft Size	Housing	Width	Type	Part No.	F/Grp
55.00	75.00	10.00	TC	TC12614	1.6	70.00	85.00	8.00	TC	TC12650	1.6
55.00	78.00	8.00	TC	TC12615	1.6	70.00	90.00	10.00	TC	TC12651	1.6
55.00	80.00	8.00	TC	TC12616	1.6	70.00	95.00	10.00	TC	TC12652	1.6
55.00	82.00	8.00	TC	TC12884	1.6	70.00	100.00	10.00	TC	TC12653	1.6
55.00	85.00	8.00	TC	TC12617	1.6	70.00	105.00	10.00	TC	TC12899	1.6
55.00	90.00	10.00	TC	TC12618	1.6	70.00	110.00	10.00	TC	TC12654	1.6
55.00	95.00	10.00	TC	TC12885	1.6						
55.00	100.00	10.00	TC	TC12619	1.6	72.00	88.00	8.00	TC	TC12900	1.6
						72.00	90.00	8.00	TC	TC12901	1.6
56.00	70.00	8.00	TC	TC12620	1.6	72.00	95.00	10.00	TC	TC12655	1.6
56.00	72.00	8.00	TC	TC12621	1.6	72.00	100.00	10.00	TC	TC12656	1.6
56.00	78.00	8.00	TC	TC12886	1.6	72.00	105.00	13.00	TC	TC12657	1.6
56.00	80.00	8.00	TC	TC12622	1.6						
56.00	82.00	8.00	TC	TC12887	1.6	75.00	90.00	8.00	TC	TC12658	1.6
56.00	85.00	8.00	TC	TC12888	1.6	75.00	95.00	10.00	TC	TC12659	1.6
56.00	90.00	8.00	TC	TC12889	1.6	75.00	100.00	10.00	TC	TC12660	1.6
						75.00	105.00	12.00	TC	TC12661	1.6
58.00	72.00	8.00	TC	TC12623	1.6	75.00	110.00	10.00	TC	TC12662	1.6
58.00	75.00	8.00	TC	TC12890	1.6	75.00	115.00	12.00	TC	TC12663	1.6
58.00	80.00	8.00	TC	TC12624	1.6						
58.00	85.00	8.00	TC	TC12891	1.6	78.00	95.00	10.00	TC	TC12902	1.6
58.00	90.00	8.00	TC	TC12892	1.6	78.00	100.00	10.00	TC	TC12664	1.6
						78.00	110.00	10.00	TC	TC12903	1.6
60.00	72.00	8.00	TC	TC12625	1.6						
60.00	75.00	8.00	TC	TC12626	1.6	80.00	100.00	10.00	TC	TC12665	1.6
60.00	78.00	8.00	TC	TC12627	1.6	80.00	105.00	10.00	TC	TC12666	1.6
60.00	80.00	8.00	TC	TC12628	1.6	80.00	110.00	10.00	TC	TC12667	1.6
60.00	82.00	7.00	TC	TC12629	1.6	80.00	115.00	13.00	TC	TC12668	1.6
60.00	85.00	8.00	TC	TC12630	1.6	80.00	120.00	12.00	TC	TC12669	1.6
60.00	90.00	8.00	TC	TC12631	1.6	80.00	140.00	12.00	TC	TC12904	1.6
60.00	95.00	10.00	TC	TC12632	1.6						
60.00	110.00	10.00	TC	TC12633	1.6	85.00	100.00	10.00	TC	TC12670	1.6
						85.00	105.00	10.00	TC	TC12671	1.6
62.00	80.00	8.00	TC	TC12634	1.6	85.00	110.00	12.00	TC	TC12672	1.6
62.00	85.00	8.00	TC	TC12635	1.6	85.00	115.00	13.00	TC	TC12673	1.6
62.00	90.00	10.00	TC	TC12636	1.6	85.00	120.00	12.00	TC	TC12674	1.6
62.00	95.00	10.00	TC	TC12893	1.6	85.00	125.00	13.00	TC	TC12675	1.6
62.00	100.00	10.00	TC	TC12637	1.6	85.00	130.00	12.00	TC	TC12905	1.6
						85.00	140.00	12.00	TC	TC12676	1.6
63.00	80.00	8.00	TC	TC12894	1.6						
63.00	85.00	10.00	TC	TC12638	1.6	90.00	110.00	10.00	TC	TC12677	1.6
63.00	90.00	10.00	TC	TC12639	1.6	90.00	115.00	10.00	TC	TC12678	1.6
						90.00	118.00	12.00	TC	TC12679	1.6
64.00	80.00	8.00	TC	TC12640	1.6	90.00	120.00	12.00	TC	TC12680	1.6
						90.00	125.00	13.00	TC	TC12681	1.6
65.00	80.00	8.00	TC	TC12641	1.6	90.00	130.00	12.00	TC	TC12682	1.6
65.00	82.00	8.00	TC	TC12895	1.6	90.00	135.00	12.00	TC	TC12906	1.6
65.00	85.00	10.00	TC	TC12642	1.6	90.00	140.00	12.00	TC	TC12907	1.6
65.00	88.00	8.00	TC	TC12896	1.6						
65.00	90.00	10.00	TC	TC12643	1.6	95.00	110.00	12.00	TC	TC12683	1.6
65.00	95.00	10.00	TC	TC12644	1.6	95.00	115.00	13.00	TC	TC12684	1.6
65.00	100.00	10.00	TC	TC12645	1.6	95.00	120.00	12.00	TC	TC12685	1.6
65.00	105.00	10.00	TC	TC12897	1.6	95.00	125.00	12.00	TC	TC12686	1.6
						95.00	130.00	12.00	TC	TC12687	1.6
68.00	85.00	10.00	TC	TC12646	1.6						
68.00	88.00	9.00	TC	TC12647	1.6	100.00	118.00	12.00	TC	TC12688	1.6
68.00	90.00	8.00	TC	TC12648	1.6	100.00	120.00	12.00	TC	TC12689	1.6
68.00	100.00	10.00	TC	TC12649	1.6	100.00	125.00	12.00	TC	TC12690	1.6
						100.00	130.00	12.00	TC	TC12691	1.6
70.00	80.00	8.00	TC	TC12898	1.6	100.00	135.00	12.00	TC	TC12692	1.6

Shaft size sequence - Metric

Shaft Size	Housing	Width	Type	Part No.	F/Grp	Shaft Size	Housing	Width	Type	Part No.	F/Grp
100.00	140.00	13.00	TC	TC12693	1.6	160.00	185.00	10.00	TC	TC12737	1.6
100.00	150.00	13.00	TC	TC12694	1.6	160.00	190.00	13.00	TC	TC12738	1.6
						160.00	200.00	12.00	TC	TC12739	1.6
105.00	125.00	13.00	TC	TC12695	1.6						
105.00	130.00	12.00	TC	TC12696	1.6	165.00	190.00	13.00	TC	TC12740	1.6
105.00	140.00	12.00	TC	TC12697	1.6	165.00	200.00	15.00	TC	TC12741	1.6
110.00	130.00	12.00	TC	TC12698	1.6	170.00	190.00	13.00	TC	TC12742	1.6
110.00	135.00	13.00	TC	TC12699	1.6	170.00	200.00	15.00	TC	TC12743	1.6
110.00	140.00	12.00	TC	TC12700	1.6						
110.00	145.00	12.00	TC	TC12908	1.6	175.00	200.00	15.00	TC	TC12744	1.6
110.00	150.00	13.00	TC	TC12701	1.6	175.00	210.00	15.00	TC	TC12745	1.6
110.00	160.00	13.00	TC	TC12702	1.6						
						180.00	200.00	15.00	TC	TC12746	1.6
112.00	140.00	12.00	TC	TC12703	1.6	180.00	210.00	15.00	TC	TC12747	1.6
						180.00	215.00	16.00	TC	TC12748	1.6
114.00	135.00	13.00	TC	TC12704	1.6	180.00	220.00	13.00	TC	TC12749	1.6
115.00	140.00	12.00	TC	TC12705	1.6	185.00	210.00	13.00	TC	TC12750	1.6
115.00	145.00	14.00	TC	TC12706	1.6						
115.00	150.00	13.00	TC	TC12707	1.6	190.00	220.00	15.00	TC	TC12751	1.6
115.00	155.00	12.00	TC	TC12909	1.6						
						200.00	230.00	15.00	TC	TC12752	1.6
120.00	140.00	13.00	TC	TC12708	1.6	200.00	240.00	15.00	TC	TC12753	1.6
120.00	145.00	12.00	TC	TC12709	1.6						
120.00	150.00	12.00	TC	TC12710	1.6	210.00	240.00	15.00	TC	TC12754	1.6
120.00	155.00	16.00	TC	TC12711	1.6	210.00	250.00	15.00	TC	TC12755	1.6
120.00	160.00	12.00	TC	TC12712	1.6						
						215.00	240.00	12.00	TC	TC12756	1.6
124.00	170.00	14.00	TC	TC12713	1.6						
						220.00	250.00	15.00	TC	TC12757	1.6
125.00	143.00	13.00	TC	TC12714	1.6						
125.00	150.00	12.00	TC	TC12715	1.6	230.00	260.00	15.00	TC	TC12758	1.6
125.00	155.00	13.00	TC	TC12716	1.6	230.00	270.00	15.00	TC	TC12759	1.6
125.00	160.00	12.00	TC	TC12717	1.6	230.00	280.00	15.00	TC	TC12760	1.6
130.00	150.00	10.00	TC	TC12718	1.6	240.00	270.00	15.00	TC	TC12761	1.6
130.00	160.00	12.00	TC	TC12719	1.6	240.00	280.00	15.00	TC	TC12762	1.6
130.00	165.00	13.00	TC	TC12720	1.6						
130.00	170.00	12.00	TC	TC12721	1.6	250.00	280.00	15.00	TC	TC12763	1.6
135.00	160.00	12.00	TC	TC12722	1.6	260.00	290.00	16.00	TC	TC12764	1.6
135.00	170.00	12.00	TC	TC12723	1.6	260.00	300.00	18.00	TC	TC12765	1.6
140.00	160.00	12.00	TC	TC12724	1.6	270.00	300.00	15.00	TC	TC12766	1.6
140.00	170.00	12.00	TC	TC12725	1.6						
140.00	175.00	15.00	TC	TC12726	1.6	300.00	340.00	20.00	TC	TC12767	1.6
140.00	180.00	12.00	TC	TC12727	1.6						
145.00	167.00	13.00	TC	TC12728	1.6						
145.00	170.00	12.00	TC	TC12729	1.6						
145.00	175.00	15.00	TC	TC12730	1.6						
145.00	180.00	12.00	TC	TC12731	1.6						
150.00	170.00	12.00	TC	TC12732	1.6						
150.00	180.00	12.00	TC	TC12733	1.6						
150.00	190.00	15.00	TC	TC12734	1.6						
155.00	180.00	13.00	TC	TC12735	1.6						
155.00	190.00	15.00	TC	TC12736	1.6						

Shaft size sequence - Imperial

Shaft Size	Housing	Width	Type	Part No.	F/Grp	Shaft Size	Housing	Width	Type	Part No.	F/Grp
0.250	0.750	0.250	TC	TC12001	1.6	1.062	1.750	0.375	TC	TC12041	1.6
						1.062	1.875	0.375	TC	TC12042	1.6
0.312	0.750	0.250	TC	TC12002	1.6						
0.312	0.875	0.250	TC	TC12003	1.6	1.125	1.500	0.250	TC	TC12043	1.6
						1.125	1.625	0.250	TC	TC12044	1.6
0.375	0.750	0.250	TC	TC12004	1.6	1.125	1.750	0.312	TC	TC12045	1.6
0.375	0.875	0.250	TC	TC12005	1.6	1.125	1.875	0.375	TC	TC12046	1.6
						1.125	2.000	0.375	TC	TC12047	1.6
0.437	1.000	0.250	TC	TC12006	1.6	1.125	2.062	0.375	TC	TC12048	1.6
						1.125	2.125	0.375	TC	TC12049	1.6
0.500	0.875	0.250	TC	TC12007	1.6	1.125	2.250	0.375	TC	TC12050	1.6
0.500	1.000	0.250	TC	TC12008	1.6	1.125	2.437	0.437	TC	TC12051	1.6
0.500	1.125	0.250	TC	TC12009	1.6						
						1.181	2.165	0.394	TC	TC12789	1.6
0.562	1.000	0.250	TC	TC12010	1.6						
0.562	1.125	0.250	TC	TC12011	1.6	1.187	1.688	0.375	TC	TC12783	1.6
						1.187	1.750	0.187	TC	TC12052	1.6
0.625	1.000	0.187	TC	TC12012	1.6	1.187	1.875	0.375	TC	TC12771	1.6
0.625	1.125	0.250	TC	TC12013	1.6	1.187	2.000	0.312	TC	TC12053	1.6
0.625	1.250	0.250	TC	TC12014	1.6	1.187	2.125	0.375	TC	TC12054	1.6
0.625	1.375	0.250	TC	TC12015	1.6	1.187	2.250	0.375	TC	TC12055	1.6
0.625	1.500	0.250	TC	TC12016	1.6						
						1.250	1.687	0.250	TC	TC12056	1.6
0.687	1.250	0.250	TC	TC12017	1.6	1.250	1.750	0.250	TC	TC12057	1.6
0.687	1.375	0.250	TC	TC12018	1.6	1.250	1.829	0.312	TC	TC12793	1.6
						1.250	1.875	0.375	TC	TC12058	1.6
0.750	1.125	0.250	TC	TC12019	1.6	1.250	1.976	0.312	TC	TC12059	1.6
0.750	1.250	0.250	TC	TC12020	1.6	1.250	2.000	0.375	TC	TC12060	1.6
0.750	1.375	0.250	TC	TC12021	1.6	1.250	2.062	0.375	TC	TC12061	1.6
0.750	1.500	0.312	TC	TC12022	1.6	1.250	2.125	0.312	TC	TC12062	1.6
0.750	1.625	0.250	TC	TC12023	1.6	1.250	2.187	0.375	TC	TC12063	1.6
0.750	1.750	0.312	TC	TC12024	1.6	1.250	2.250	0.375	TC	TC12064	1.6
						1.250	2.375	0.375	TC	TC12065	1.6
0.812	1.375	0.250	TC	TC12025	1.6	1.250	2.500	0.375	TC	TC12066	1.6
						1.250	2.750	0.375	TC	TC12067	1.6
0.875	1.250	0.250	TC	TC12026	1.6						
0.875	1.375	0.250	TC	TC12027	1.6	1.312	2.052	0.375	TC	TC12068	1.6
0.875	1.500	0.375	TC	TC12028	1.6	1.312	2.062	0.375	TC	TC12772	1.6
0.875	1.625	0.375	TC	TC12029	1.6	1.312	2.125	0.375	TC	TC12069	1.6
0.875	1.875	0.375	TC	TC12768	1.6	1.312	2.250	0.375	TC	TC12070	1.6
0.875	2.000	0.375	TC	TC12769	1.6	1.312	2.375	0.375	TC	TC12071	1.6
						1.312	2.500	0.375	TC	TC12072	1.6
0.937	1.500	0.375	TC	TC12778	1.6						
0.937	1.750	0.375	TC	TC12030	1.6	1.375	1.875	0.250	TC	TC12073	1.6
						1.375	1.949	0.437	TC	TC12784	1.6
1.000	1.437	0.250	TC	TC12031	1.6	1.375	2.000	0.375	TC	TC12074	1.6
1.000	1.500	0.250	TC	TC12032	1.6	1.375	2.062	0.250	TC	TC12075	1.6
1.000	1.563	0.312	TC	TC12794	1.6	1.375	2.125	0.375	TC	TC12076	1.6
1.000	1.625	0.250	TC	TC12033	1.6	1.375	2.250	0.375	TC	TC12077	1.6
1.000	1.750	0.375	TC	TC12034	1.6	1.375	2.312	0.437	TC	TC12078	1.6
1.000	1.875	0.375	TC	TC12035	1.6	1.375	2.375	0.375	TC	TC12079	1.6
1.000	2.000	0.250	TC	TC12036	1.6	1.375	2.437	0.375	TC	TC12080	1.6
1.000	2.062	0.375	TC	TC12037	1.6	1.375	2.500	0.375	TC	TC12081	1.6
1.000	2.125	0.375	TC	TC12038	1.6	1.375	2.750	0.375	TC	TC12082	1.6
1.000	2.250	0.375	TC	TC12039	1.6	1.375	2.812	0.500	TC	TC12808	1.6
						1.375	3.000	0.375	TC	TC12083	1.6
1.062	1.500	0.250	TC	TC12040	1.6						
1.062	1.625	0.375	TC	TC12791	1.6	1.437	2.125	0.375	TC	TC12084	1.6
1.062	1.687	0.375	TC	TC12770	1.6	1.437	2.250	0.375	TC	TC12085	1.6
						1.437	2.327	0.375	TC	TC12803	1.6

Shaft size sequence - Imperial

Shaft Size	Housing	Width	Type	Part No.	F/Grp	Shaft Size	Housing	Width	Type	Part No.	F/Grp
1.437	2.375	0.375	TC	TC12086	1.6	1.812	2.625	0.375	TC	TC12135	1.6
1.437	2.500	.0375	TC	TC12087	1.6	1.812	2.750	0.375	TC	TC12136	1.6
						1.812	2.875	0.375	TC	TC12137	1.6
1.500	2.000	0.250	TC	TC12089	1.6	1.812	3.000	0.375	TC	TC12138	1.6
1.500	2.062	0.250	TC	TC12090	1.6	1.812	3.187	0.375	TC	TC12798	1.6
1.500	2.125	0.375	TC	TC12091	1.6						
1.500	2.250	0.375	TC	TC12092	1.6	1.875	2.437	0.312	TC	TC12787	1.6
1.500	2.332	0.375	TC	TC12790	1.6	1.875	2.500	0.375	TC	TC12139	1.6
1.500	2.375	0.375	TC	TC12093	1.6	1.875	2.625	0.375	TC	TC12140	1.6
1.500	2.437	0.375	TC	TC12094	1.6	1.875	2.687	0.375	TC	TC12779	1.6
1.500	2.500	0.312	TC	TC12095	1.6	1.875	2.750	0.375	TC	TC12141	1.6
1.500	2.625	0.375	TC	TC12096	1.6	1.875	2.875	0.375	TC	TC12142	1.6
1.500	2.750	0.375	TC	TC12097	1.6	1.875	3.000	0.375	TC	TC12143	1.6
1.500	2.875	0.375	TC	TC12098	1.6	1.875	3.125	0.375	TC	TC12144	1.6
1.500	3.000	0.375	TC	TC12099	1.6						
1.500	3.125	0.375	TC	TC12773	1.6	1.937	2.500	0.375	TC	TC12145	1.6
						1.937	2.625	0.375	TC	TC12146	1.6
1.562	2.125	0.500	TC	TC12100	1.6	1.937	2.686	0.500	TC	TC12785	1.6
1.562	2.250	0.375	TC	TC12101	1.6	1.937	2.750	0.375	TC	TC12147	1.6
1.562	2.375	0.375	TC	TC12102	1.6	1.937	2.875	0.375	TC	TC12775	1.6
1.562	2.500	0.375	TC	TC12103	1.6	1.937	3.000	0.375	TC	TC12148	1.6
1.562	2.625	0.375	TC	TC12104	1.6						
1.562	2.687	0.375	TC	TC12815	1.6	2.000	2.500	0.250	TC	TC12149	1.6
1.562	2.750	0.375	TC	TC12105	1.6	2.000	2.625	0.375	TC	TC12150	1.6
1.562	3.000	0.375	TC	TC12106	1.6	2.000	2.687	0.375	TC	TC12151	1.6
						2.000	2.750	0.375	TC	TC12152	1.6
1.625	2.250	0.375	TC	TC12107	1.6	2.000	2.875	0.375	TC	TC12153	1.6
1.625	2.375	0.375	TC	TC12108	1.6	2.000	3.000	0.375	TC	TC12154	1.6
1.625	2.437	0.375	TC	TC12109	1.6	2.000	3.062	0.375	TC	TC12155	1.6
1.625	2.500	0.375	TC	TC12110	1.6	2.000	3.125	0.375	TC	TC12156	1.6
1.625	2.625	0.375	TC	TC12111	1.6	2.000	3.190	0.473	TC	TC12780	1.6
1.625	2.750	0.375	TC	TC12112	1.6	2.000	3.250	0.375	TC	TC12157	1.6
1.625	2.875	0.375	TC	TC12113	1.6	2.000	3.375	0.500	TC	TC12158	1.6
1.625	3.000	0.375	TC	TC12114	1.6	2.000	3.500	0.500	TC	TC12159	1.6
1.625	3.250	0.375	TC	TC12115	1.6	2.000	3.625	0.500	TC	TC12160	1.6
						2.000	3.750	0.500	TC	TC12161	1.6
1.687	2.250	0.312	TC	TC12116	1.6						
1.687	2.500	0.375	TC	TC12117	1.6	2.062	2.875	0.375	TC	TC12162	1.6
1.687	2.625	0.375	TC	TC12774	1.6	2.062	3.000	0.375	TC	TC12163	1.6
1.687	2.750	0.375	TC	TC12118	1.6	2.062	3.190	0.375	TC	TC12817	1.6
1.687	3.000	0.375	TC	TC12119	1.6						
						2.125	2.750	0.375	TC	TC12164	1.6
1.750	2.250	0.375	TC	TC12120	1.6	2.125	2.875	0.375	TC	TC12165	1.6
1.750	2.312	0.250	TC	TC12121	1.6	2.125	3.000	0.375	TC	TC12166	1.6
1.750	2.375	0.375	TC	TC12122	1.6	2.125	3.062	0.500	TC	TC12167	1.6
1.750	2.437	0.375	TC	TC12123	1.6	2.125	3.125	0.375	TC	TC12168	1.6
1.750	2.500	0.375	TC	TC12124	1.6	2.125	3.250	0.375	TC	TC12169	1.6
1.750	2.625	0.375	TC	TC12125	1.6	2.125	3.375	0.500	TC	TC12170	1.6
1.750	2.687	0.500	TC	TC12126	1.6	2.125	3.500	0.500	TC	TC12171	1.6
1.750	2.718	0.375	TC	TC12782	1.6						
1.750	2.750	0.375	TC	TC12127	1.6	2.187	2.562	0.187	TC	TC12172	1.6
1.750	2.875	0.375	TC	TC12128	1.6	2.187	2.875	0.375	TC	TC12173	1.6
1.750	3.000	0.375	TC	TC12129	1.6	2.187	3.000	0.375	TC	TC12174	1.6
1.750	3.125	0.375	TC	TC12130	1.6	2.187	3.250	0.375	TC	TC12175	1.6
1.750	3.188	0.375	TC	TC12816	1.6	2.187	3.375	0.500	TC	TC12176	1.6
1.750	3.375	0.375	TC	TC12131	1.6						
1.750	3.500	0.500	TC	TC12132	1.6	2.250	2.750	0.375	TC	TC12177	1.6
1.750	3.625	0.500	TC	TC12133	1.6	2.250	2.875	0.375	TC	TC12178	1.6
						2.250	3.000	0.375	TC	TC12179	1.6
1.812	2.500	0.375	TC	TC12134	1.6	2.250	3.062	0.375	TC	TC12180	1.6

Shaft size sequence - Imperial

Shaft Size	Housing	Width	Type	Part No.	F/Grp	Shaft Size	Housing	Width	Type	Part No.	F/Grp
2.250	3.125	0.375	TC	TC12181	1.6	2.750	3.875	0.500	TC	TC12228	1.6
2.250	3.187	0.375	TC	TC12182	1.6	2.750	4.000	0.500	TC	TC12229	1.6
2.250	3.250	0.375	TC	TC12183	1.6	2.750	4.125	0.500	TC	TC12230	1.6
2.250	3.350	0.500	TC	TC12786	1.6	2.750	4.250	0.500	TC	TC12231	1.6
2.250	3.375	0.500	TC	TC12184	1.6	2.750	4.500	0.500	TC	TC12232	1.6
2.250	3.500	0.500	TC	TC12185	1.6						
2.250	3.625	0.500	TC	TC12186	1.6	2.812	3.625	0.375	TC	TC12233	1.6
2.250	3.750	0.500	TC	TC12187	1.6						
						2.875	3.375	0.187	TC	TC12234	1.6
2.312	3.125	0.375	TC	TC12188	1.6	2.875	3.625	0.375	TC	TC12235	1.6
2.312	3.187	0.375	TC	TC12189	1.6	2.875	3.750	0.500	TC	TC12236	1.6
2.312	3.375	0.375	TC	TC12190	1.6	2.875	3.875	0.500	TC	TC12237	1.6
						2.875	4.000	0.500	TC	TC12238	1.6
2.375	2.875	0.312	TC	TC12191	1.6	2.875	4.500	0.500	TC	TC12239	1.6
2.375	3.000	0.375	TC	TC12192	1.6						
2.375	3.125	0.375	TC	TC12193	1.6	2.937	3.750	0.375	TC	TC12240	1.6
2.375	3.250	0.375	TC	TC12194	1.6	2.937	4.000	0.500	TC	TC12777	1.6
2.375	3.351	0.500	TC	TC12797	1.6						
2.375	3.375	0.375	TC	TC12195	1.6	3.000	3.750	0.375	TC	TC12241	1.6
2.375	3.484	0.500	TC	TC12804	1.6	3.000	3.875	0.375	TC	TC12242	1.6
2.375	3.500	0.500	TC	TC12196	1.6	3.000	4.000	0.375	TC	TC12243	1.6
2.375	3.625	0.500	TC	TC12197	1.6	3.000	4.125	0.500	TC	TC12244	1.6
2.375	3.750	0.500	TC	TC12198	1.6	3.000	4.250	0.500	TC	TC12245	1.6
2.375	4.500	0.500	TC	TC12199	1.6	3.000	4.375	0.375	TC	TC12246	1.6
						3.000	4.500	0.500	TC	TC12247	1.6
2.437	3.250	0.375	TC	TC12200	1.6	3.000	4.750	0.500	TC	TC12248	1.6
2.437	3.500	0.500	TC	TC12776	1.6	3.000	5.000	0.500	TC	TC12249	1.6
2.437	3.625	0.500	TC	TC12201	1.6						
						3.125	3.875	0.500	TC	TC12253	1.6
2.500	3.000	0.375	TC	TC12202	1.6	3.125	4.000	0.500	TC	TC12250	1.6
2.500	3.187	0.375	TC	TC12203	1.6	3.125	4.125	0.500	TC	TC12251	1.6
2.500	3.250	0.375	TC	TC12204	1.6	3.125	4.500	0.500	TC	TC12252	1.6
2.500	3.375	0.500	TC	TC12205	1.6	3.125	4.625	0.375	TC	TC12795	1.6
2.500	3.500	0.375	TC	TC12206	1.6						
2.500	3.543	0.500	TC	TC12781	1.6	3.187	4.250	0.500	TC	TC12254	1.6
2.500	3.625	0.500	TC	TC12207	1.6	3.187	4.500	0.500	TC	TC12255	1.6
2.500	3.750	0.500	TC	TC12208	1.6						
2.500	3.875	0.500	TC	TC12209	1.6	3.250	4.000	0.500	TC	TC12256	1.6
2.500	4.000	0.500	TC	TC12210	1.6	3.250	4.250	0.500	TC	TC12257	1.6
2.500	4.125	0.375	TC	TC12211	1.6	3.250	4.375	0.500	TC	TC12796	1.6
2.500	4.250	0.500	TC	TC12212	1.6	3.250	4.500	0.500	TC	TC12258	1.6
						3.250	4.625	0.500	TC	TC12259	1.6
2.562	3.375	0.375	TC	TC12213	1.6	3.250	4.750	0.500	TC	TC12260	1.6
2.562	3.500	0.500	TC	TC12214	1.6	3.250	5.000	0.500	TC	TC12261	1.6
2.562	3.750	0.500	TC	TC12215	1.6						
						3.312	4.500	0.500	TC	TC12262	1.6
2.625	3.250	0.375	TC	TC12216	1.6						
2.625	3.375	0.375	TC	TC12217	1.6	3.375	4.250	0.500	TC	TC12263	1.6
2.625	3.500	0.500	TC	TC12218	1.6	3.375	4.375	0.500	TC	TC12264	1.6
2.625	3.625	0.500	TC	TC12219	1.6	3.375	4.625	0.375	TC	TC12265	1.6
2.625	3.750	0.500	TC	TC12220	1.6	3.375	4.750	0.500	TC	TC12266	1.6
2.625	3.875	0.500	TC	TC12221	1.6	3.375	5.000	0.500	TC	TC12267	1.6
2.625	4.000	0.500	TC	TC12222	1.6						
						3.437	4.500	0.500	TC	TC12268	1.6
2.687	3.500	0.500	TC	TC12223	1.6	3.437	4.750	0.500	TC	TC12269	1.6
2.687	3.750	0.500	TC	TC12224	1.6						
						3.500	4.250	0.500	TC	TC12270	1.6
2.750	3.500	0.375	TC	TC12225	1.6	3.500	4.375	0.500	TC	TC12271	1.6
2.750	3.625	0.500	TC	TC12226	1.6	3.500	4.500	0.375	TC	TC12272	1.6
2.750	3.750	0.375	TC	TC12227	1.6	3.500	4.625	0.500	TC	TC12273	1.6

Shaft size sequence - Imperial

Shaft Size	Housing	Width	Type	Part No.	F/Grp	Shaft Size	Housing	Width	Type	Part No.	F/Grp
3.500	4.750	0.500	TC	TC12274	1.6	4.500	5.375	0.500	TC	TC12320	1.6
3.500	4.875	0.500	TC	TC12810	1.6	4.500	5.500	0.500	TC	TC12321	1.6
3.500	5.000	0.500	TC	TC12275	1.6	4.500	5.750	0.500	TC	TC12322	1.6
3.500	5.250	0.500	TC	TC12276	1.6	4.500	6.000	0.500	TC	TC12323	1.6
3.562	4.625	0.500	TC	TC12277	1.6	4.500	6.250	0.562	TC	TC12324	1.6
3.625	4.375	0.375	TC	TC12278	1.6	4.500	6.375	0.562	TC	TC12802	1.6
3.625	4.500	0.500	TC	TC12279	1.6	4.625	5.625	0.500	TC	TC12325	1.6
3.625	4.625	0.500	TC	TC12280	1.6	4.625	5.750	0.500	TC	TC12326	1.6
3.625	4.750	0.500	TC	TC12281	1.6	4.625	6.000	0.562	TC	TC12327	1.6
3.625	5.000	0.500	TC	TC12282	1.6	4.750	5.500	0.500	TC	TC12806	1.6
3.625	5.250	0.500	TC	TC12283	1.6	4.750	5.750	0.500	TC	TC12328	1.6
3.687	5.125	0.500	TC	TC12284	1.6	4.750	6.000	0.562	TC	TC12329	1.6
3.687	5.625	0.500	TC	TC12285	1.6	4.750	6.250	0.562	TC	TC12330	1.6
3.750	4.500	0.500	TC	TC12286	1.6	4.875	5.750	0.437	TC	TC12788	1.6
3.750	4.750	0.500	TC	TC12287	1.6	4.875	6.000	0.562	TC	TC12331	1.6
3.750	5.000	0.500	TC	TC12288	1.6	4.875	6.250	0.500	TC	TC12332	1.6
3.750	5.625	0.500	TC	TC12289	1.6	4.937	6.000	0.500	TC	TC12812	1.6
3.875	4.750	0.500	TC	TC12290	1.6	5.000	5.750	0.437	TC	TC12333	1.6
3.875	4.875	0.500	TC	TC12291	1.6	5.000	6.000	0.500	TC	TC12334	1.6
3.875	5.000	0.500	TC	TC12292	1.6	5.000	6.250	0.562	TC	TC12335	1.6
3.875	5.125	0.500	TC	TC12293	1.6	5.000	6.500	0.500	TC	TC12336	1.6
3.875	5.250	0.500	TC	TC12294	1.6	5.125	6.375	0.500	TC	TC12811	1.6
3.875	5.375	0.500	TC	TC12295	1.6	5.250	6.250	0.500	TC	TC12337	1.6
3.875	5.687	0.500	TC	TC12296	1.6	5.250	6.500	0.562	TC	TC12338	1.6
3.937	5.000	0.500	TC	TC12297	1.6	5.375	6.375	0.500	TC	TC12339	1.6
4.000	4.750	0.500	TC	TC12298	1.6	5.500	6.500	0.500	TC	TC12340	1.6
4.000	5.000	0.500	TC	TC12299	1.6	5.500	6.625	0.500	TC	TC12799	1.6
4.000	5.125	0.500	TC	TC12300	1.6	5.500	6.750	0.500	TC	TC12801	1.6
4.000	5.250	0.500	TC	TC12301	1.6	5.511	6.693	0.511	TC	TC12800	1.6
4.000	5.375	0.500	TC	TC12302	1.6	5.625	7.000	0.500	TC	TC12341	1.6
4.000	5.500	0.500	TC	TC12303	1.6	5.750	6.750	0.500	TC	TC12342	1.6
4.000	5.750	0.500	TC	TC12304	1.6	5.750	7.000	0.500	TC	TC12343	1.6
4.000	6.000	0.562	TC	TC12809	1.6	5.875	6.875	0.500	TC	TC12344	1.6
4.125	5.000	0.500	TC	TC12305	1.6	6.000	7.000	0.500	TC	TC12345	1.6
4.125	5.125	0.500	TC	TC12306	1.6	6.000	7.500	0.500	TC	TC12346	1.6
4.187	5.750	0.437	TC	TC12805	1.6	6.250	7.187	0.625	TC	TC12347	1.6
4.250	5.000	0.500	TC	TC12307	1.6	6.250	7.250	0.500	TC	TC12348	1.6
4.250	5.250	0.500	TC	TC12308	1.6	6.500	7.500	0.500	TC	TC12349	1.6
4.250	5.500	0.500	TC	TC12309	1.6	6.500	7.750	0.500	TC	TC12813	1.6
4.250	5.625	0.500	TC	TC12310	1.6	6.500	8.500	0.500	TC	TC12814	1.6
4.250	5.750	0.500	TC	TC12311	1.6	6.750	7.750	0.500	TC	TC12350	1.6
4.250	6.000	0.500	TC	TC12312	1.6						
4.250	6.250	0.562	TC	TC12313	1.6						
4.375	5.250	0.500	TC	TC12314	1.6						
4.375	5.375	0.500	TC	TC12315	1.6						
4.375	5.750	0.500	TC	TC12316	1.6						
4.375	6.000	0.500	TC	TC12317	1.6						
4.375	6.250	0.562	TC	TC12318	1.6						
4.500	5.250	0.500	TC	TC12319	1.6						

Shaft size sequence - Imperial

Shaft Size	Housing	Width	Type	Part No.	F/Grp	Shaft Size	Housing	Width	Type	Part No.	F/Grp
7.000	8.000	0.500	TC	TC12351	1.6						
7.000	8.250	0.625	TC	TC12807	1.6						
7.000	8.500	0.750	TC	TC12352	1.6						
7.250	8.750	0.562	TC	TC12353	1.6						
7.500	8.500	0.625	TC	TC12354	1.6						
7.500	9.000	0.562	TC	TC12355	1.6						
7.750	9.250	0.500	TC	TC12356	1.6						
8.500	0.000	0.562	TC	TC12357	1.6						
9.500	1.500	1.000	TC	TC12358	1.6						
10.000	1.500	0.562	TC	TC12359	1.6						
16.000	8.000	0.812	TC	TC12360	1.6						

Part Number Sequence

Part No.	Shaft Size	Housing	Width	Type	F/Grp	Part No.	Shaft Size	Housing	Width	Type	F/Grp
TC12001	0.250	0.750	0.250	TC	1.6	TC12051	1.125	2.437	0.437	TC	1.6
TC12002	0.312	0.750	0.250	TC	1.6	TC12052	1.187	1.750	0.187	TC	1.6
TC12003	0.312	0.875	0.250	TC	1.6	TC12053	1.187	2.000	0.312	TC	1.6
TC12004	0.375	0.750	0.250	TC	1.6	TC12054	1.187	2.125	0.375	TC	1.6
TC12005	0.375	0.875	0.250	TC	1.6	TC12055	1.187	2.250	0.375	TC	1.6
TC12006	0.437	1.000	0.250	TC	1.6	TC12056	1.250	1.687	0.250	TC	1.6
TC12007	0.500	0.875	0.250	TC	1.6	TC12057	1.250	1.750	0.250	TC	1.6
TC12008	0.500	1.000	0.250	TC	1.6	TC12058	1.250	1.875	0.375	TC	1.6
TC12009	0.500	1.125	0.250	TC	1.6	TC12059	1.250	1.976	0.312	TC	1.6
TC12010	0.562	1.000	0.250	TC	1.6	TC12060	1.250	2.000	0.375	TC	1.6
TC12011	0.562	1.125	0.250	TC	1.6	TC12061	1.250	2.062	0.375	TC	1.6
TC12012	0.625	1.000	0.187	TC	1.6	TC12062	1.250	2.125	0.312	TC	1.6
TC12013	0.625	1.125	0.250	TC	1.6	TC12063	1.250	2.187	0.375	TC	1.6
TC12014	0.625	1.250	0.250	TC	1.6	TC12064	1.250	2.250	0.375	TC	1.6
TC12015	0.625	1.375	0.250	TC	1.6	TC12065	1.250	2.375	0.375	TC	1.6
TC12016	0.625	1.500	0.250	TC	1.6	TC12066	1.250	2.500	0.375	TC	1.6
TC12017	0.687	1.250	0.250	TC	1.6	TC12067	1.250	2.750	0.375	TC	1.6
TC12018	0.687	1.375	0.250	TC	1.6	TC12068	1.312	2.052	0.375	TC	1.6
TC12019	0.750	1.125	0.250	TC	1.6	TC12069	1.312	2.125	0.375	TC	1.6
TC12020	0.750	1.250	0.250	TC	1.6	TC12070	1.312	2.250	0.375	TC	1.6
TC12021	0.750	1.375	0.250	TC	1.6	TC12071	1.312	2.375	0.375	TC	1.6
TC12022	0.750	1.500	0.312	TC	1.6	TC12072	1.312	2.500	0.375	TC	1.6
TC12023	0.750	1.625	0.250	TC	1.6	TC12073	1.375	1.875	0.250	TC	1.6
TC12024	0.750	1.750	0.312	TC	1.6	TC12074	1.375	2.000	0.375	TC	1.6
TC12025	0.812	1.375	0.250	TC	1.6	TC12075	1.375	2.062	0.250	TC	1.6
TC12026	0.875	1.250	0.250	TC	1.6	TC12076	1.375	2.125	0.375	TC	1.6
TC12027	0.875	1.375	0.250	TC	1.6	TC12077	1.375	2.250	0.375	TC	1.6
TC12028	0.875	1.500	0.375	TC	1.6	TC12078	1.375	2.312	0.437	TC	1.6
TC12029	0.875	1.625	0.375	TC	1.6	TC12079	1.375	2.375	0.375	TC	1.6
TC12030	0.937	1.750	0.375	TC	1.6	TC12080	1.375	2.437	0.375	TC	1.6
TC12031	1.000	1.437	0.250	TC	1.6	TC12081	1.375	2.500	0.375	TC	1.6
TC12032	1.000	1.500	0.250	TC	1.6	TC12082	1.375	2.750	0.375	TC	1.6
TC12033	1.000	1.625	0.250	TC	1.6	TC12083	1.375	3.000	0.375	TC	1.6
TC12034	1.000	1.750	0.375	TC	1.6	TC12084	1.437	2.125	0.375	TC	1.6
TC12035	1.000	1.875	0.375	TC	1.6	TC12085	1.437	2.250	0.375	TC	1.6
TC12036	1.000	2.000	0.250	TC	1.6	TC12086	1.437	2.375	0.375	TC	1.6
TC12037	1.000	2.062	0.375	TC	1.6	TC12087	1.437	2.500	0.375	TC	1.6
TC12038	1.000	2.125	0.375	TC	1.6	TC12089	1.500	2.000	0.250	TC	1.6
TC12039	1.000	2.250	0.375	TC	1.6	TC12090	1.500	2.062	0.250	TC	1.6
TC12040	1.062	1.500	0.250	TC	1.6	TC12091	1.500	2.125	0.375	TC	1.6
TC12041	1.062	1.750	0.375	TC	1.6	TC12092	1.500	2.250	0.375	TC	1.6
TC12042	1.062	1.875	0.375	TC	1.6	TC12093	1.500	2.375	0.375	TC	1.6
TC12043	1.125	1.500	0.250	TC	1.6	TC12094	1.500	2.437	0.375	TC	1.6
TC12044	1.125	1.625	0.250	TC	1.6	TC12095	1.500	2.500	0.312	TC	1.6
TC12045	1.125	1.750	0.312	TC	1.6	TC12096	1.500	2.625	0.375	TC	1.6
TC12046	1.125	1.875	0.375	TC	1.6	TC12097	1.500	2.750	0.375	TC	1.6
TC12047	1.125	2.000	0.375	TC	1.6	TC12098	1.500	2.875	0.375	TC	1.6
TC12048	1.125	2.062	0.375	TC	1.6	TC12099	1.500	3.000	0.375	TC	1.6
TC12049	1.125	2.125	0.375	TC	1.6	TC12100	1.562	2.125	0.500	TC	1.6
TC12050	1.125	2.250	0.375	TC	1.6	TC12101	1.562	2.250	0.375	TC	1.6

Part Number Sequence

Part No.	Shaft Size	Housing	Width	Type	F/Grp	Part No.	Shaft Size	Housing	Width	Type	F/Grp
TC12102	1.562	2.375	0.375	TC	1.6	TC12152	2.000	2.750	0.375	TC	1.6
TC12103	1.562	2.500	0.375	TC	1.6	TC12153	2.000	2.875	0.375	TC	1.6
TC12104	1.562	2.625	0.375	TC	1.6	TC12154	2.000	3.000	0.375	TC	1.6
TC12105	1.562	2.750	0.375	TC	1.6	TC12155	2.000	3.062	0.375	TC	1.6
TC12106	1.562	3.000	0.375	TC	1.6	TC12156	2.000	3.125	0.375	TC	1.6
TC12107	1.625	2.250	0.375	TC	1.6	TC12157	2.000	3.250	0.375	TC	1.6
TC12108	1.625	2.375	0.375	TC	1.6	TC12158	2.000	3.375	0.500	TC	1.6
TC12109	1.625	2.437	0.375	TC	1.6	TC12159	2.000	3.500	0.500	TC	1.6
TC12110	1.625	2.500	0.375	TC	1.6	TC12160	2.000	3.625	0.500	TC	1.6
TC12111	1.625	2.625	0.375	TC	1.6	TC12161	2.000	3.750	0.500	TC	1.6
TC12112	1.625	2.750	0.375	TC	1.6	TC12162	2.062	2.875	0.375	TC	1.6
TC12113	1.625	2.875	0.375	TC	1.6	TC12163	2.062	3.000	0.375	TC	1.6
TC12114	1.625	3.000	0.375	TC	1.6	TC12164	2.125	2.750	0.375	TC	1.6
TC12115	1.625	3.250	0.375	TC	1.6	TC12165	2.125	2.875	0.375	TC	1.6
TC12116	1.687	2.250	0.312	TC	1.6	TC12166	2.125	3.000	0.375	TC	1.6
TC12117	1.687	2.500	0.375	TC	1.6	TC12167	2.125	3.062	0.500	TC	1.6
TC12118	1.687	2.750	0.375	TC	1.6	TC12168	2.125	3.125	0.375	TC	1.6
TC12119	1.687	3.000	0.375	TC	1.6	TC12169	2.125	3.250	0.375	TC	1.6
TC12120	1.750	2.250	0.375	TC	1.6	TC12170	2.125	3.375	0.500	TC	1.6
TC12121	1.750	2.312	0.250	TC	1.6	TC12171	2.125	3.500	0.500	TC	1.6
TC12122	1.750	2.375	0.375	TC	1.6	TC12172	2.187	2.562	0.187	TC	1.6
TC12123	1.750	2.437	0.375	TC	1.6	TC12173	2.187	2.875	0.375	TC	1.6
TC12124	1.750	2.500	0.375	TC	1.6	TC12174	2.187	3.000	0.375	TC	1.6
TC12125	1.750	2.625	0.375	TC	1.6	TC12175	2.187	3.250	0.375	TC	1.6
TC12126	1.750	2.687	0.500	TC	1.6	TC12176	2.187	3.375	0.500	TC	1.6
TC12127	1.750	2.750	0.375	TC	1.6	TC12177	2.250	2.750	0.375	TC	1.6
TC12128	1.750	2.875	0.375	TC	1.6	TC12178	2.250	2.875	0.375	TC	1.6
TC12129	1.750	3.000	0.375	TC	1.6	TC12179	2.250	3.000	0.375	TC	1.6
TC12130	1.750	3.125	0.375	TC	1.6	TC12180	2.250	3.062	0.375	TC	1.6
TC12131	1.750	3.375	0.375	TC	1.6	TC12181	2.250	3.125	0.375	TC	1.6
TC12132	1.750	3.500	0.500	TC	1.6	TC12182	2.250	3.187	0.375	TC	1.6
TC12133	1.750	3.625	0.500	TC	1.6	TC12183	2.250	3.250	0.375	TC	1.6
TC12134	1.812	2.500	0.375	TC	1.6	TC12184	2.250	3.375	0.500	TC	1.6
TC12135	1.812	2.625	0.375	TC	1.6	TC12185	2.250	3.500	0.500	TC	1.6
TC12136	1.812	2.750	0.375	TC	1.6	TC12186	2.250	3.625	0.500	TC	1.6
TC12137	1.812	2.875	0.375	TC	1.6	TC12187	2.250	3.750	0.500	TC	1.6
TC12138	1.812	3.000	0.375	TC	1.6	TC12188	2.312	3.125	0.375	TC	1.6
TC12139	1.875	2.500	0.375	TC	1.6	TC12189	2.312	3.187	0.375	TC	1.6
TC12140	1.875	2.625	0.375	TC	1.6	TC12190	2.312	3.375	0.375	TC	1.6
TC12141	1.875	2.750	0.375	TC	1.6	TC12191	2.375	2.875	0.312	TC	1.6
TC12142	1.875	2.875	0.375	TC	1.6	TC12192	2.375	3.000	0.375	TC	1.6
TC12143	1.875	3.000	0.375	TC	1.6	TC12193	2.375	3.125	0.375	TC	1.6
TC12144	1.875	3.125	0.375	TC	1.6	TC12194	2.375	3.250	0.375	TC	1.6
TC12145	1.937	2.500	0.375	TC	1.6	TC12195	2.375	3.375	0.375	TC	1.6
TC12146	1.937	2.625	0.375	TC	1.6	TC12196	2.375	3.500	0.500	TC	1.6
TC12147	1.937	2.750	0.375	TC	1.6	TC12197	2.375	3.625	0.500	TC	1.6
TC12148	1.937	3.000	0.375	TC	1.6	TC12198	2.375	3.750	0.500	TC	1.6
TC12149	2.000	2.500	0.250	TC	1.6	TC12199	2.375	4.500	0.500	TC	1.6
TC12150	2.000	2.625	0.375	TC	1.6	TC12200	2.437	3.250	0.375	TC	1.6
TC12151	2.000	2.687	0.375	TC	1.6	TC12201	2.437	3.625	0.500	TC	1.6

Part Number Sequence

Part No.	Shaft Size	Housing	Width	Type	F/Grp	Part No.	Shaft Size	Housing	Width	Type	F/Grp
TC12202	2.500	3.000	0.375	TC	1.6	TC12252	3.125	4.500	0.500	TC	1.6
TC12203	2.500	3.187	0.375	TC	1.6	TC12253	3.125	3.875	0.500	TC	1.6
TC12204	2.500	3.250	0.375	TC	1.6	TC12254	3.187	4.250	0.500	TC	1.6
TC12205	2.500	3.375	0.500	TC	1.6	TC12255	3.187	4.500	0.500	TC	1.6
TC12206	2.500	3.500	0.375	TC	1.6	TC12256	3.250	4.000	0.500	TC	1.6
TC12207	2.500	3.625	0.500	TC	1.6	TC12257	3.250	4.250	0.500	TC	1.6
TC12208	2.500	3.750	0.500	TC	1.6	TC12258	3.250	4.500	0.500	TC	1.6
TC12209	2.500	3.875	0.500	TC	1.6	TC12259	3.250	4.625	0.500	TC	1.6
TC12210	2.500	4.000	0.500	TC	1.6	TC12260	3.250	4.750	0.500	TC	1.6
TC12211	2.500	4.125	0.375	TC	1.6	TC12261	3.250	5.000	0.500	TC	1.6
TC12212	2.500	4.250	0.500	TC	1.6	TC12262	3.312	4.500	0.500	TC	1.6
TC12213	2.562	3.375	0.375	TC	1.6	TC12263	3.375	4.250	0.500	TC	1.6
TC12214	2.562	3.500	0.500	TC	1.6	TC12264	3.375	4.375	0.500	TC	1.6
TC12215	2.562	3.750	0.500	TC	1.6	TC12265	3.375	4.625	0.375	TC	1.6
TC12216	2.625	3.250	0.375	TC	1.6	TC12266	3.375	4.750	0.500	TC	1.6
TC12217	2.625	3.375	0.375	TC	1.6	TC12267	3.375	5.000	0.500	TC	1.6
TC12218	2.625	3.500	0.500	TC	1.6	TC12268	3.437	4.500	0.500	TC	1.6
TC12219	2.625	3.625	0.500	TC	1.6	TC12269	3.437	4.750	0.500	TC	1.6
TC12220	2.625	3.750	0.500	TC	1.6	TC12270	3.500	4.250	0.500	TC	1.6
TC12221	2.625	3.875	0.500	TC	1.6	TC12271	3.500	4.375	0.500	TC	1.6
TC12222	2.625	4.000	0.500	TC	1.6	TC12272	3.500	4.500	0.375	TC	1.6
TC12223	2.687	3.500	0.500	TC	1.6	TC12273	3.500	4.625	0.500	TC	1.6
TC12224	2.687	3.750	0.500	TC	1.6	TC12274	3.500	4.750	0.500	TC	1.6
TC12225	2.750	3.500	0.375	TC	1.6	TC12275	3.500	5.000	0.500	TC	1.6
TC12226	2.750	3.625	0.500	TC	1.6	TC12276	3.500	5.250	0.500	TC	1.6
TC12227	2.750	3.750	0.375	TC	1.6	TC12277	3.562	4.625	0.500	TC	1.6
TC12228	2.750	3.875	0.500	TC	1.6	TC12278	3.625	4.375	0.375	TC	1.6
TC12229	2.750	4.000	0.500	TC	1.6	TC12279	3.625	4.500	0.500	TC	1.6
TC12230	2.750	4.125	0.500	TC	1.6	TC12280	3.625	4.625	0.500	TC	1.6
TC12231	2.750	4.250	0.500	TC	1.6	TC12281	3.625	4.750	0.500	TC	1.6
TC12232	2.750	4.500	0.500	TC	1.6	TC12282	3.625	5.000	0.500	TC	1.6
TC12233	2.812	3.625	0.375	TC	1.6	TC12283	3.625	5.250	0.500	TC	1.6
TC12234	2.875	3.375	0.187	TC	1.6	TC12284	3.687	5.125	0.500	TC	1.6
TC12235	2.875	3.625	0.375	TC	1.6	TC12285	3.687	5.625	0.500	TC	1.6
TC12236	2.875	3.750	0.500	TC	1.6	TC12286	3.750	4.500	0.500	TC	1.6
TC12237	2.875	3.875	0.500	TC	1.6	TC12287	3.750	4.750	0.500	TC	1.6
TC12238	2.875	4.000	0.500	TC	1.6	TC12288	3.750	5.000	0.500	TC	1.6
TC12239	2.875	4.500	0.500	TC	1.6	TC12289	3.750	5.625	0.500	TC	1.6
TC12240	2.937	3.750	0.375	TC	1.6	TC12290	3.875	4.750	0.500	TC	1.6
TC12241	3.000	3.750	0.375	TC	1.6	TC12291	3.875	4.875	0.500	TC	1.6
TC12242	3.000	3.875	0.375	TC	1.6	TC12292	3.875	5.000	0.500	TC	1.6
TC12243	3.000	4.000	0.375	TC	1.6	TC12293	3.875	5.125	0.500	TC	1.6
TC12244	3.000	4.125	0.500	TC	1.6	TC12294	3.875	5.250	0.500	TC	1.6
TC12245	3.000	4.250	0.500	TC	1.6	TC12295	3.875	5.375	0.500	TC	1.6
TC12246	3.000	4.375	0.375	TC	1.6	TC12296	3.875	5.687	0.500	TC	1.6
TC12247	3.000	4.500	0.500	TC	1.6	TC12297	3.937	5.000	0.500	TC	1.6
TC12248	3.000	4.750	0.500	TC	1.6	TC12298	4.000	4.750	0.500	TC	1.6
TC12249	3.000	5.000	0.500	TC	1.6	TC12299	4.000	5.000	0.500	TC	1.6
TC12250	3.125	4.000	0.500	TC	1.6	TC12300	4.000	5.125	0.500	TC	1.6
TC12251	3.125	4.125	0.500	TC	1.6	TC12301	4.000	5.250	0.500	TC	1.6

Part Number Sequence

Part No.	Shaft Size	Housing	Width	Type	F/Grp	Part No.	Shaft Size	Housing	Width	Type	F/Grp
TC12302	4.000	5.375	0.500	TC	1.6	TC12352	7.000	8.500	0.750	TC	1.6
TC12303	4.000	5.500	0.500	TC	1.6	TC12353	7.250	8.750	0.562	TC	1.6
TC12304	4.000	5.750	0.500	TC	1.6	TC12354	7.500	8.500	0.625	TC	1.6
TC12305	4.125	5.000	0.500	TC	1.6	TC12355	7.500	9.000	0.562	TC	1.6
TC12306	4.125	5.125	0.500	TC	1.6	TC12356	7.750	9.250	0.500	TC	1.6
TC12307	4.250	5.000	0.500	TC	1.6	TC12357	8.500	10.000	0.562	TC	1.6
TC12308	4.250	5.250	0.500	TC	1.6	TC12358	9.500	11.500	1.000	TC	1.6
TC12309	4.250	5.500	0.500	TC	1.6	TC12359	10.000	11.500	0.562	TC	1.6
TC12310	4.250	5.625	0.500	TC	1.6	TC12360	16.000	18.000	0.812	TC	1.6
TC12311	4.250	5.750	0.500	TC	1.6	TC12361	5.00	18.00	7.00	TC	1.6
TC12312	4.250	6.000	0.500	TC	1.6	TC12362	6.00	15.00	5.00	TC	1.6
TC12313	4.250	6.250	0.562	TC	1.6	TC12363	6.00	16.00	7.00	TC	1.6
TC12314	4.375	5.250	0.500	TC	1.6	TC12364	6.00	22.00	7.00	TC	1.6
TC12315	4.375	5.375	0.500	TC	1.6	TC12365	7.00	16.00	7.00	TC	1.6
TC12316	4.375	5.750	0.500	TC	1.6	TC12366	7.00	22.00	7.00	TC	1.6
TC12317	4.375	6.000	0.500	TC	1.6	TC12367	8.00	16.00	7.00	TC	1.6
TC12318	4.375	6.250	0.562	TC	1.6	TC12368	8.00	18.00	7.00	TC	1.6
TC12319	4.500	5.250	0.500	TC	1.6	TC12369	8.00	22.00	7.00	TC	1.6
TC12320	4.500	5.375	0.500	TC	1.6	TC12370	8.00	24.00	7.00	TC	1.6
TC12321	4.500	5.500	0.500	TC	1.6	TC12371	9.00	22.00	7.00	TC	1.6
TC12322	4.500	5.750	0.500	TC	1.6	TC12372	9.00	24.00	7.00	TC	1.6
TC12323	4.500	6.000	0.500	TC	1.6	TC12373	9.00	25.00	8.00	TC	1.6
TC12324	4.500	6.250	0.562	TC	1.6	TC12374	9.00	26.00	7.00	TC	1.6
TC12325	4.625	5.625	0.500	TC	1.6	TC12375	9.00	28.00	8.00	TC	1.6
TC12326	4.625	5.750	0.500	TC	1.6	TC12376	10.00	17.00	3.00	TC	1.6
TC12327	4.625	6.000	0.562	TC	1.6	TC12377	10.00	18.00	6.00	TC	1.6
TC12328	4.750	5.750	0.500	TC	1.6	TC12378	10.00	19.00	7.00	TC	1.6
TC12329	4.750	6.000	0.562	TC	1.6	TC12379	10.00	20.00	7.00	TC	1.6
TC12330	4.750	6.250	0.562	TC	1.6	TC12380	10.00	22.00	7.00	TC	1.6
TC12331	4.875	6.000	0.562	TC	1.6	TC12381	10.00	24.00	7.00	TC	1.6
TC12332	4.875	6.250	0.500	TC	1.6	TC12382	10.00	25.00	7.00	TC	1.6
TC12333	5.000	5.750	0.437	TC	1.6	TC12383	10.00	26.00	7.00	TC	1.6
TC12334	5.000	6.000	0.500	TC	1.6	TC12384	10.00	28.00	7.00	TC	1.6
TC12335	5.000	6.250	0.562	TC	1.6	TC12385	11.00	22.00	7.00	TC	1.6
TC12336	5.000	6.500	0.500	TC	1.6	TC12386	12.00	19.00	3.00	TC	1.6
TC12337	5.250	6.250	0.500	TC	1.6	TC12387	12.00	22.00	7.00	TC	1.6
TC12338	5.250	6.500	0.562	TC	1.6	TC12388	12.00	24.00	7.00	TC	1.6
TC12339	5.375	6.375	0.500	TC	1.6	TC12389	12.00	25.00	7.00	TC	1.6
TC12340	5.500	6.500	0.500	TC	1.6	TC12390	12.00	26.00	7.00	TC	1.6
TC12341	5.625	7.000	0.500	TC	1.6	TC12391	12.00	28.00	7.00	TC	1.6
TC12342	5.750	6.750	0.500	TC	1.6	TC12392	12.00	30.00	7.00	TC	1.6
TC12343	5.750	7.000	0.500	TC	1.6	TC12393	12.00	32.00	7.00	TC	1.6
TC12344	5.875	6.875	0.500	TC	1.6	TC12394	13.00	20.00	5.00	TC	1.6
TC12345	6.000	7.000	0.500	TC	1.6	TC12395	14.00	24.00	7.00	TC	1.6
TC12346	6.000	7.500	0.500	TC	1.6	TC12396	14.00	28.00	7.00	TC	1.6
TC12347	6.250	7.187	0.625	TC	1.6	TC12397	14.00	30.00	7.00	TC	1.6
TC12348	6.250	7.250	0.500	TC	1.6	TC12398	14.00	35.00	7.00	TC	1.6
TC12349	6.500	7.500	0.500	TC	1.6	TC12399	15.00	21.00	3.00	TC	1.6
TC12350	6.750	7.750	0.500	TC	1.6	TC12400	15.00	24.00	7.00	TC	1.6
TC12351	7.000	8.000	0.500	TC	1.6	TC12401	15.00	25.00	7.00	TC	1.6

Part Number Sequence

Part No.	Shaft Size	Housing	Width	Type	F/Grp	Part No.	Shaft Size	Housing	Width	Type	F/Grp
TC12402	15.00	26.00	7.00	TC	1.6	TC12452	22.00	45.00	7.00	TC	1.6
TC12403	15.00	28.00	7.00	TC	1.6	TC12453	22.00	47.00	7.00	TC	1.6
TC12404	15.00	30.00	7.00	TC	1.6	TC12454	24.00	34.00	7.00	TC	1.6
TC12405	15.00	32.00	7.00	TC	1.6	TC12455	24.00	35.00	7.00	TC	1.6
TC12406	15.00	33.00	7.00	TC	1.6	TC12456	24.00	37.00	7.00	TC	1.6
TC12407	15.00	35.00	7.00	TC	1.6	TC12457	24.00	38.00	8.00	TC	1.6
TC12408	16.00	22.00	3.00	TC	1.6	TC12458	24.00	40.00	7.00	TC	1.6
TC12409	16.00	24.00	3.00	TC	1.6	TC12459	24.00	42.00	7.00	TC	1.6
TC12410	16.00	24.00	6.00	TC	1.6	TC12460	24.00	47.00	7.00	TC	1.6
TC12411	16.00	28.00	7.00	TC	1.6	TC12461	25.00	32.00	4.00	TC	1.6
TC12412	16.00	30.00	7.00	TC	1.6	TC12462	25.00	35.00	4.00	TC	1.6
TC12413	16.00	32.00	7.00	TC	1.6	TC12463	25.00	35.00	7.00	TC	1.6
TC12414	16.00	35.00	7.00	TC	1.6	TC12464	25.00	36.00	7.00	TC	1.6
TC12415	17.00	23.00	3.00	TC	1.6	TC12465	25.00	37.00	7.00	TC	1.6
TC12416	17.00	25.00	3.00	TC	1.6	TC12466	25.00	38.00	7.00	TC	1.6
TC12417	17.00	28.00	7.00	TC	1.6	TC12467	25.00	39.00	7.00	TC	1.6
TC12418	17.00	30.00	7.00	TC	1.6	TC12468	25.00	40.00	7.00	TC	1.6
TC12419	17.00	32.00	7.00	TC	1.6	TC12469	25.00	42.00	7.00	TC	1.6
TC12420	17.00	35.00	7.00	TC	1.6	TC12470	25.00	45.00	7.00	TC	1.6
TC12421	17.00	37.00	10.00	TC	1.6	TC12471	25.00	46.00	7.00	TC	1.6
TC12422	17.00	40.00	7.00	TC	1.6	TC12472	25.00	47.00	7.00	TC	1.6
TC12423	17.00	47.00	7.00	TC	1.6	TC12473	25.00	52.00	7.00	TC	1.6
TC12424	18.00	26.00	4.00	TC	1.6	TC12474	25.00	62.00	7.00	TC	1.6
TC12425	18.00	28.00	7.00	TC	1.6	TC12475	26.00	37.00	7.00	TC	1.6
TC12426	18.00	30.00	7.00	TC	1.6	TC12476	26.00	42.00	7.00	TC	1.6
TC12427	18.00	32.00	7.00	TC	1.6	TC12477	26.00	47.00	7.00	TC	1.6
TC12428	18.00	35.00	7.00	TC	1.6	TC12478	27.00	37.00	7.00	TC	1.6
TC12429	18.00	40.00	7.00	TC	1.6	TC12479	27.00	42.00	10.00	TC	1.6
TC12430	19.00	32.00	7.00	TC	1.6	TC12480	28.00	37.00	4.00	TC	1.6
TC12431	19.00	40.00	10.00	TC	1.6	TC12481	28.00	38.00	7.00	TC	1.6
TC12432	20.00	26.00	4.00	TC	1.6	TC12482	28.00	40.00	7.00	TC	1.6
TC12433	20.00	28.00	4.00	TC	1.6	TC12483	28.00	43.00	7.00	TC	1.6
TC12434	20.00	30.00	7.00	TC	1.6	TC12484	28.00	47.00	7.00	TC	1.6
TC12435	20.00	32.00	7.00	TC	1.6	TC12485	28.00	52.00	7.00	TC	1.6
TC12436	20.00	35.00	7.00	TC	1.6	TC12486	30.00	37.00	4.00	TC	1.6
TC12437	20.00	36.00	7.00	TC	1.6	TC12487	30.00	40.00	7.00	TC	1.6
TC12438	20.00	37.00	7.00	TC	1.6	TC12488	30.00	42.00	7.00	TC	1.6
TC12439	20.00	38.00	7.00	TC	1.6	TC12489	30.00	43.00	8.00	TC	1.6
TC12440	20.00	40.00	7.00	TC	1.6	TC12490	30.00	44.00	9.00	TC	1.6
TC12441	20.00	42.00	7.00	TC	1.6	TC12491	30.00	45.00	7.00	TC	1.6
TC12442	20.00	45.00	7.00	TC	1.6	TC12492	30.00	47.00	7.00	TC	1.6
TC12443	20.00	47.00	7.00	TC	1.6	TC12493	30.00	48.00	7.00	TC	1.6
TC12444	20.00	52.00	10.00	TC	1.6	TC12494	30.00	50.00	8.00	TC	1.6
TC12445	22.00	28.00	4.00	TC	1.6	TC12495	30.00	52.00	7.00	TC	1.6
TC12446	22.00	32.00	7.00	TC	1.6	TC12496	30.00	55.00	7.00	TC	1.6
TC12447	22.00	35.00	7.00	TC	1.6	TC12497	30.00	56.00	10.00	TC	1.6
TC12448	22.00	38.00	7.00	TC	1.6	TC12498	30.00	58.00	10.00	TC	1.6
TC12449	22.00	40.00	7.00	TC	1.6	TC12499	30.00	60.00	8.00	TC	1.6
TC12450	22.00	42.00	8.00	TC	1.6	TC12500	30.00	62.00	7.00	TC	1.6
TC12451	22.00	43.00	8.00	TC	1.6	TC12501	30.00	72.00	8.00	TC	1.6

Part Number Sequence

Part No.	Shaft Size	Housing	Width	Type	F/Grp	Part No.	Shaft Size	Housing	Width	Type	F/Grp
TC12502	32.00	42.00	7.00	TC	1.6	TC12552	40.00	55.00	8.00	TC	1.6
TC12503	32.00	45.00	7.00	TC	1.6	TC12553	40.00	56.00	8.00	TC	1.6
TC12504	32.00	47.00	7.00	TC	1.6	TC12554	40.00	58.00	10.00	TC	1.6
TC12505	32.00	48.00	7.00	TC	1.6	TC12555	40.00	60.00	7.00	TC	1.6
TC12506	32.00	50.00	10.00	TC	1.6	TC12556	40.00	62.00	7.00	TC	1.6
TC12507	32.00	52.00	7.00	TC	1.6	TC12557	40.00	65.00	8.00	TC	1.6
TC12508	32.00	55.00	7.00	TC	1.6	TC12558	40.00	68.00	7.00	TC	1.6
TC12509	32.00	56.00	8.00	TC	1.6	TC12559	40.00	70.00	8.00	TC	1.6
TC12510	32.00	62.00	8.00	TC	1.6	TC12560	40.00	72.00	7.00	TC	1.6
TC12511	33.00	45.00	7.00	TC	1.6	TC12561	40.00	75.00	8.00	TC	1.6
TC12512	33.00	50.00	10.00	TC	1.6	TC12562	40.00	80.00	8.00	TC	1.6
TC12513	33.00	52.00	6.00	TC	1.6	TC12563	42.00	52.00	4.00	TC	1.6
TC12514	34.00	47.00	7.00	TC	1.6	TC12564	42.00	55.00	7.00	TC	1.6
TC12515	34.00	52.00	8.00	TC	1.6	TC12565	42.00	56.00	7.00	TC	1.6
TC12516	34.00	62.00	10.00	TC	1.6	TC12566	42.00	60.00	8.00	TC	1.6
TC12517	35.00	42.00	4.00	TC	1.6	TC12567	42.00	62.00	8.00	TC	1.6
TC12518	35.00	45.00	7.00	TC	1.6	TC12568	42.00	65.00	10.00	TC	1.6
TC12519	35.00	47.00	7.00	TC	1.6	TC12569	42.00	72.00	8.00	TC	1.6
TC12520	35.00	48.00	8.00	TC	1.6	TC12570	44.00	60.00	7.00	TC	1.6
TC12521	35.00	50.00	7.00	TC	1.6	TC12571	44.00	62.00	8.00	TC	1.6
TC12522	35.00	52.00	7.00	TC	1.6	TC12572	44.00	65.00	8.00	TC	1.6
TC12523	35.00	55.00	8.00	TC	1.6	TC12573	45.00	52.00	4.00	TC	1.6
TC12524	35.00	56.00	10.00	TC	1.6	TC12574	45.00	55.00	7.00	TC	1.6
TC12525	35.00	58.00	10.00	TC	1.6	TC12575	45.00	58.00	7.00	TC	1.6
TC12526	35.00	60.00	10.00	TC	1.6	TC12576	45.00	60.00	8.00	TC	1.6
TC12527	35.00	62.00	7.00	TC	1.6	TC12577	45.00	62.00	8.00	TC	1.6
TC12528	35.00	65.00	10.00	TC	1.6	TC12578	45.00	65.00	8.00	TC	1.6
TC12529	35.00	70.00	8.00	TC	1.6	TC12579	45.00	68.00	10.00	TC	1.6
TC12530	35.00	72.00	10.00	TC	1.6	TC12580	45.00	72.00	8.00	TC	1.6
TC12531	35.00	80.00	10.00	TC	1.6	TC12581	45.00	75.00	8.00	TC	1.6
TC12532	36.00	47.00	7.00	TC	1.6	TC12582	45.00	80.00	10.00	TC	1.6
TC12533	36.00	50.00	7.00	TC	1.6	TC12583	45.00	85.00	10.00	TC	1.6
TC12534	36.00	52.00	7.00	TC	1.6	TC12584	47.00	65.00	10.00	TC	1.6
TC12535	36.00	54.00	8.00	TC	1.6	TC12585	48.00	60.00	8.00	TC	1.6
TC12536	36.00	62.00	7.00	TC	1.6	TC12586	48.00	62.00	8.00	TC	1.6
TC12537	36.00	68.00	10.00	TC	1.6	TC12587	48.00	65.00	10.00	TC	1.6
TC12538	37.00	52.00	7.00	TC	1.6	TC12588	48.00	68.00	10.00	TC	1.6
TC12539	38.00	50.00	7.00	TC	1.6	TC12589	48.00	72.00	8.00	TC	1.6
TC12540	38.00	52.00	7.00	TC	1.6	TC12590	48.00	74.00	10.00	TC	1.6
TC12541	38.00	54.00	8.00	TC	1.6	TC12591	48.00	75.00	10.00	TC	1.6
TC12542	38.00	55.00	7.00	TC	1.6	TC12592	48.00	80.00	8.00	TC	1.6
TC12543	38.00	56.00	10.00	TC	1.6	TC12593	50.00	58.00	4.00	TC	1.6
TC12544	38.00	58.00	10.00	TC	1.6	TC12594	50.00	62.00	8.00	TC	1.6
TC12545	38.00	60.00	8.00	TC	1.6	TC12595	50.00	65.00	8.00	TC	1.6
TC12546	38.00	62.00	7.00	TC	1.6	TC12596	50.00	68.00	8.00	TC	1.6
TC12547	38.00	65.00	8.00	TC	1.6	TC12597	50.00	70.00	8.00	TC	1.6
TC12548	38.00	72.00	8.00	TC	1.6	TC12598	50.00	72.00	8.00	TC	1.6
TC12549	40.00	50.00	8.00	TC	1.6	TC12599	50.00	75.00	10.00	TC	1.6
TC12550	40.00	52.00	7.00	TC	1.6	TC12600	50.00	80.00	8.00	TC	1.6
TC12551	40.00	54.00	7.00	TC	1.6	TC12601	50.00	82.00	8.00	TC	1.6

Part Number Sequence

Part No.	Shaft Size	Housing	Width	Type	F/Grp	Part No.	Shaft Size	Housing	Width	Type	F/Grp
TC12602	50.00	85.00	8.00	TC	1.6	TC12652	70.00	95.00	10.00	TC	1.6
TC12603	50.00	90.00	10.00	TC	1.6	TC12653	70.00	100.00	10.00	TC	1.6
TC12604	50.00	110.00	10.00	TC	1.6	TC12654	70.00	110.00	10.00	TC	1.6
TC12605	52.00	68.00	8.00	TC	1.6	TC12655	72.00	95.00	10.00	TC	1.6
TC12606	52.00	70.00	8.00	TC	1.6	TC12656	72.00	100.00	10.00	TC	1.6
TC12607	52.00	72.00	8.00	TC	1.6	TC12657	72.00	105.00	13.00	TC	1.6
TC12608	53.00	68.00	10.00	TC	1.6	TC12658	75.00	90.00	8.00	TC	1.6
TC12609	54.00	68.00	10.00	TC	1.6	TC12659	75.00	95.00	10.00	TC	1.6
TC12610	54.00	72.00	8.00	TC	1.6	TC12660	75.00	100.00	10.00	TC	1.6
TC12611	55.00	68.00	8.00	TC	1.6	TC12661	75.00	105.00	12.00	TC	1.6
TC12612	55.00	70.00	8.00	TC	1.6	TC12662	75.00	110.00	10.00	TC	1.6
TC12613	55.00	72.00	8.00	TC	1.6	TC12663	75.00	115.00	12.00	TC	1.6
TC12614	55.00	75.00	10.00	TC	1.6	TC12664	78.00	100.00	10.00	TC	1.6
TC12615	55.00	78.00	8.00	TC	1.6	TC12665	80.00	100.00	10.00	TC	1.6
TC12616	55.00	80.00	8.00	TC	1.6	TC12666	80.00	105.00	10.00	TC	1.6
TC12617	55.00	85.00	8.00	TC	1.6	TC12667	80.00	110.00	10.00	TC	1.6
TC12618	55.00	90.00	10.00	TC	1.6	TC12668	80.00	115.00	13.00	TC	1.6
TC12619	55.00	100.00	10.00	TC	1.6	TC12669	80.00	120.00	12.00	TC	1.6
TC12620	56.00	70.00	8.00	TC	1.6	TC12670	85.00	100.00	10.00	TC	1.6
TC12621	56.00	72.00	8.00	TC	1.6	TC12671	85.00	105.00	10.00	TC	1.6
TC12622	56.00	80.00	8.00	TC	1.6	TC12672	85.00	110.00	12.00	TC	1.6
TC12623	58.00	72.00	8.00	TC	1.6	TC12673	85.00	115.00	13.00	TC	1.6
TC12624	58.00	80.00	8.00	TC	1.6	TC12674	85.00	120.00	12.00	TC	1.6
TC12625	60.00	72.00	8.00	TC	1.6	TC12675	85.00	125.00	13.00	TC	1.6
TC12626	60.00	75.00	8.00	TC	1.6	TC12676	85.00	140.00	12.00	TC	1.6
TC12627	60.00	78.00	8.00	TC	1.6	TC12677	90.00	110.00	10.00	TC	1.6
TC12628	60.00	80.00	8.00	TC	1.6	TC12678	90.00	115.00	10.00	TC	1.6
TC12629	60.00	82.00	7.00	TC	1.6	TC12679	90.00	118.00	12.00	TC	1.6
TC12630	60.00	85.00	8.00	TC	1.6	TC12680	90.00	120.00	12.00	TC	1.6
TC12631	60.00	90.00	8.00	TC	1.6	TC12681	90.00	125.00	13.00	TC	1.6
TC12632	60.00	95.00	10.00	TC	1.6	TC12682	90.00	130.00	12.00	TC	1.6
TC12633	60.00	110.00	10.00	TC	1.6	TC12683	95.00	110.00	12.00	TC	1.6
TC12634	62.00	80.00	8.00	TC	1.6	TC12684	95.00	115.00	13.00	TC	1.6
TC12635	62.00	85.00	8.00	TC	1.6	TC12685	95.00	120.00	12.00	TC	1.6
TC12636	62.00	90.00	10.00	TC	1.6	TC12686	95.00	125.00	12.00	TC	1.6
TC12637	62.00	100.00	10.00	TC	1.6	TC12687	95.00	130.00	12.00	TC	1.6
TC12638	63.00	85.00	10.00	TC	1.6	TC12688	100.00	118.00	12.00	TC	1.6
TC12639	63.00	90.00	10.00	TC	1.6	TC12689	100.00	120.00	12.00	TC	1.6
TC12640	64.00	80.00	8.00	TC	1.6	TC12690	100.00	125.00	12.00	TC	1.6
TC12641	65.00	80.00	8.00	TC	1.6	TC12691	100.00	130.00	12.00	TC	1.6
TC12642	65.00	85.00	10.00	TC	1.6	TC12692	100.00	135.00	12.00	TC	1.6
TC12643	65.00	90.00	10.00	TC	1.6	TC12693	100.00	140.00	13.00	TC	1.6
TC12644	65.00	95.00	10.00	TC	1.6	TC12694	100.00	150.00	13.00	TC	1.6
TC12645	65.00	100.00	10.00	TC	1.6	TC12695	105.00	125.00	13.00	TC	1.6
TC12646	68.00	85.00	10.00	TC	1.6	TC12696	105.00	130.00	12.00	TC	1.6
TC12647	68.00	88.00	9.00	TC	1.6	TC12697	105.00	140.00	12.00	TC	1.6
TC12648	68.00	90.00	8.00	TC	1.6	TC12698	110.00	130.00	12.00	TC	1.6
TC12649	68.00	100.00	10.00	TC	1.6	TC12699	110.00	135.00	13.00	TC	1.6
TC12650	70.00	85.00	8.00	TC	1.6	TC12700	110.00	140.00	12.00	TC	1.6
TC12651	70.00	90.00	10.00	TC	1.6	TC12701	110.00	150.00	13.00	TC	1.6

Part Number Sequence

Part No.	Shaft Size	Housing	Width	Type	F/Grp	Part No.	Shaft Size	Housing	Width	Type	F/Grp
TC12702	110.00	160.00	13.00	TC	1.6	TC12752	200.00	230.00	15.00	TC	1.6
TC12703	112.00	140.00	12.00	TC	1.6	TC12753	200.00	240.00	15.00	TC	1.6
TC12704	114.00	135.00	13.00	TC	1.6	TC12754	210.00	240.00	15.00	TC	1.6
TC12705	115.00	140.00	12.00	TC	1.6	TC12755	210.00	250.00	15.00	TC	1.6
TC12706	115.00	145.00	14.00	TC	1.6	TC12756	215.00	240.00	12.00	TC	1.6
TC12707	115.00	150.00	13.00	TC	1.6	TC12757	220.00	250.00	15.00	TC	1.6
TC12708	120.00	140.00	13.00	TC	1.6	TC12758	230.00	260.00	15.00	TC	1.6
TC12709	120.00	145.00	12.00	TC	1.6	TC12759	230.00	270.00	15.00	TC	1.6
TC12710	120.00	150.00	12.00	TC	1.6	TC12760	230.00	280.00	15.00	TC	1.6
TC12711	120.00	155.00	16.00	TC	1.6	TC12761	240.00	270.00	15.00	TC	1.6
TC12712	120.00	160.00	12.00	TC	1.6	TC12762	240.00	280.00	15.00	TC	1.6
TC12713	124.00	170.00	14.00	TC	1.6	TC12763	250.00	280.00	15.00	TC	1.6
TC12714	125.00	143.00	13.00	TC	1.6	TC12764	260.00	290.00	16.00	TC	1.6
TC12715	125.00	150.00	12.00	TC	1.6	TC12765	260.00	300.00	18.00	TC	1.6
TC12716	125.00	155.00	13.00	TC	1.6	TC12766	270.00	300.00	15.00	TC	1.6
TC12717	125.00	160.00	12.00	TC	1.6	TC12767	300.00	340.00	20.00	TC	1.6
TC12718	130.00	150.00	10.00	TC	1.6	TC12768	0.875	1.875	0.375	TC	1.6
TC12719	130.00	160.00	12.00	TC	1.6	TC12769	0.875	2.000	0.375	TC	1.6
TC12720	130.00	165.00	13.00	TC	1.6	TC12770	1.062	1.687	0.375	TC	1.6
TC12721	130.00	170.00	12.00	TC	1.6	TC12771	1.187	1.875	0.375	TC	1.6
TC12722	135.00	160.00	12.00	TC	1.6	TC12772	1.312	2.062	0.375	TC	1.6
TC12723	135.00	170.00	12.00	TC	1.6	TC12773	1.500	3.125	0.375	TC	1.6
TC12724	140.00	160.00	12.00	TC	1.6	TC12774	1.687	2.625	0.375	TC	1.6
TC12725	140.00	170.00	12.00	TC	1.6	TC12775	1.937	2.875	0.375	TC	1.6
TC12726	140.00	175.00	15.00	TC	1.6	TC12776	2.437	3.500	0.500	TC	1.6
TC12727	140.00	180.00	12.00	TC	1.6	TC12777	2.937	4.000	0.500	TC	1.6
TC12728	145.00	167.00	13.00	TC	1.6	TC12778	0.937	1.500	0.375	TC	1.6
TC12729	145.00	170.00	12.00	TC	1.6	TC12779	1.875	2.687	0.375	TC	1.6
TC12730	145.00	175.00	15.00	TC	1.6	TC12780	2.000	3.190	0.473	TC	1.6
TC12731	145.00	180.00	12.00	TC	1.6	TC12781	2.500	3.543	0.500	TC	1.6
TC12732	150.00	170.00	12.00	TC	1.6	TC12782	1.750	2.718	0.375	TC	1.6
TC12733	150.00	180.00	12.00	TC	1.6	TC12783	1.187	1.688	0.375	TC	1.6
TC12734	150.00	190.00	15.00	TC	1.6	TC12784	1.375	1.949	0.437	TC	1.6
TC12735	155.00	180.00	13.00	TC	1.6	TC12785	1.937	2.686	0.500	TC	1.6
TC12736	155.00	190.00	15.00	TC	1.6	TC12786	2.250	3.350	0.500	TC	1.6
TC12737	160.00	185.00	10.00	TC	1.6	TC12787	1.875	2.437	0.312	TC	1.6
TC12738	160.00	190.00	13.00	TC	1.6	TC12788	4.875	5.750	0.437	TC	1.6
TC12739	160.00	200.00	12.00	TC	1.6	TC12789	1.181	2.165	0.394	TC	1.6
TC12740	165.00	190.00	13.00	TC	1.6	TC12790	1.500	2.332	0.375	TC	1.6
TC12741	165.00	200.00	15.00	TC	1.6	TC12791	1.062	1.625	0.375	TC	1.6
TC12742	170.00	190.00	13.00	TC	1.6	TC12793	1.250	1.829	0.312	TC	1.6
TC12743	170.00	200.00	15.00	TC	1.6	TC12794	1.000	1.563	0.312	TC	1.6
TC12744	175.00	200.00	15.00	TC	1.6	TC12795	3.125	4.625	0.375	TC	1.6
TC12745	175.00	210.00	15.00	TC	1.6	TC12796	3.250	4.375	0.500	TC	1.6
TC12746	180.00	200.00	15.00	TC	1.6	TC12797	2.375	3.351	0.500	TC	1.6
TC12747	180.00	210.00	15.00	TC	1.6	TC12798	1.812	3.187	0.375	TC	1.6
TC12748	180.00	215.00	16.00	TC	1.6	TC12799	5.500	6.625	0.500	TC	1.6
TC12749	180.00	220.00	13.00	TC	1.6	TC12800	5.511	6.693	0.511	TC	1.6
TC12750	185.00	210.00	13.00	TC	1.6	TC12801	5.500	6.750	0.500	TC	1.6
TC12751	190.00	220.00	15.00	TC	1.6	TC12802	4.500	6.375	0.562	TC	1.6

Part Number Sequence

Part No.	Shaft Size	Housing	Width	Type	F/Grp	Part No.	Shaft Size	Housing	Width	Type	F/Grp
TC12803	1.437	2.327	0.375	TC	1.6	TC12853	36.00	55.00	8.00	TC	1.6
TC12804	2.375	3.484	0.500	TC	1.6	TC12854	36.00	58.00	8.00	TC	1.6
TC12805	4.187	5.750	0.437	TC	1.6	TC12855	36.00	72.00	8.00	TC	1.6
TC12806	4.750	5.500	0.500	TC	1.6	TC12856	38.00	80.00	8.00	TC	1.6
TC12807	7.000	8.250	0.625	TC	1.6	TC12857	40.00	72.00	8.00	TC	1.6
TC12808	1.375	2.812	0.500	TC	1.6	TC12858	40.00	85.00	8.00	TC	1.6
TC12809	4.000	6.000	0.562	TC	1.6	TC12859	40.00	90.00	8.00	TC	1.6
TC12810	3.500	4.875	0.500	TC	1.6	TC12860	42.00	58.00	8.00	TC	1.6
TC12811	5.125	6.375	0.500	TC	1.6	TC12861	42.00	68.00	8.00	TC	1.6
TC12812	4.937	6.000	0.500	TC	1.6	TC12862	42.00	70.00	8.00	TC	1.6
TC12813	6.500	7.750	0.500	TC	1.6	TC12863	42.00	75.00	8.00	TC	1.6
TC12814	6.500	8.500	0.500	TC	1.6	TC12864	44.00	58.00	8.00	TC	1.6
TC12815	1.562	2.687	0.375	TC	1.6	TC12865	44.00	68.00	8.00	TC	1.6
TC12816	1.750	3.188	0.375	TC	1.6	TC12866	44.00	70.00	8.00	TC	1.6
TC12817	2.062	3.190	0.375	TC	1.6	TC12867	44.00	72.00	8.00	TC	1.6
TC12818	12.00	27.00	7.00	TC	1.6	TC12868	45.00	70.00	8.00	TC	1.6
TC12819	17.00	45.00	7.00	TC	1.6	TC12869	46.00	62.00	8.00	TC	1.6
TC12820	18.00	36.00	7.00	TC	1.6	TC12870	46.00	65.00	8.00	TC	1.6
TC12821	18.00	38.00	7.00	TC	1.6	TC12871	46.00	68.00	8.00	TC	1.6
TC12822	19.00	35.00	7.00	TC	1.6	TC12872	46.00	70.00	8.00	TC	1.6
TC12823	19.00	36.00	7.00	TC	1.6	TC12873	47.00	62.00	8.00	TC	1.6
TC12824	19.00	42.00	7.00	TC	1.6	TC12874	47.00	72.00	8.00	TC	1.6
TC12825	19.00	45.00	7.00	TC	1.6	TC12875	48.00	70.00	8.00	TC	1.6
TC12826	19.00	47.00	7.00	TC	1.6	TC12876	48.00	82.00	8.00	TC	1.6
TC12827	22.00	36.00	8.00	TC	1.6	TC12877	48.00	85.00	8.00	TC	1.6
TC12828	22.00	52.00	8.00	TC	1.6	TC12878	50.00	78.00	8.00	TC	1.6
TC12829	24.00	50.00	8.00	TC	1.6	TC12879	52.00	75.00	8.00	TC	1.6
TC12830	24.00	52.00	8.00	TC	1.6	TC12880	52.00	78.00	8.00	TC	1.6
TC12831	25.00	50.00	8.00	TC	1.6	TC12881	52.00	80.00	8.00	TC	1.6
TC12832	26.00	40.00	8.00	TC	1.6	TC12882	52.00	82.00	8.00	TC	1.6
TC12833	26.00	52.00	8.00	TC	1.6	TC12883	52.00	85.00	8.00	TC	1.6
TC12834	27.00	47.00	8.00	TC	1.6	TC12884	55.00	82.00	8.00	TC	1.6
TC12835	28.00	42.00	8.00	TC	1.6	TC12885	55.00	95.00	10.00	TC	1.6
TC12836	28.00	45.00	8.00	TC	1.6	TC12886	56.00	78.00	8.00	TC	1.6
TC12837	28.00	48.00	8.00	TC	1.6	TC12887	56.00	82.00	8.00	TC	1.6
TC12838	28.00	50.00	8.00	TC	1.6	TC12888	56.00	85.00	8.00	TC	1.6
TC12839	30.00	46.00	8.00	TC	1.6	TC12889	56.00	90.00	8.00	TC	1.6
TC12840	30.00	65.00	8.00	TC	1.6	TC12890	58.00	75.00	8.00	TC	1.6
TC12841	30.00	70.00	8.00	TC	1.6	TC12891	58.00	85.00	8.00	TC	1.6
TC12842	32.00	46.00	8.00	TC	1.6	TC12892	58.00	90.00	8.00	TC	1.6
TC12843	32.00	54.00	8.00	TC	1.6	TC12893	62.00	95.00	10.00	TC	1.6
TC12844	32.00	58.00	8.00	TC	1.6	TC12894	63.00	80.00	8.00	TC	1.6
TC12845	34.00	48.00	8.00	TC	1.6	TC12895	65.00	82.00	8.00	TC	1.6
TC12846	34.00	50.00	8.00	TC	1.6	TC12896	65.00	88.00	8.00	TC	1.6
TC12847	34.00	54.00	8.00	TC	1.6	TC12897	65.00	105.00	10.00	TC	1.6
TC12848	34.00	55.00	8.00	TC	1.6	TC12898	70.00	80.00	8.00	TC	1.6
TC12849	34.00	58.00	8.00	TC	1.6	TC12899	70.00	105.00	10.00	TC	1.6
TC12850	35.00	54.00	8.00	TC	1.6	TC12900	72.00	88.00	8.00	TC	1.6
TC12851	35.00	68.00	8.00	TC	1.6	TC12901	72.00	90.00	8.00	TC	1.6
TC12852	35.00	75.00	8.00	TC	1.6	TC12902	78.00	95.00	10.00	TC	1.6

Part Number Sequence

Part No.	Shaft Size	Housing	Width	Type	F/Grp	Part No.	Shaft Size	Housing	Width	Type	F/Grp
TC12903	78.00	110.00	10.00	TC	1.6						
TC12904	80.00	140.00	12.00	TC	1.6						
TC12905	85.00	130.00	12.00	TC	1.6						
TC12906	90.00	135.00	12.00	TC	1.6						
TC12907	90.00	140.00	12.00	TC	1.6						
TC12908	110.00	145.00	12.00	TC	1.6						
TC12909	115.00	155.00	12.00	TC	1.6						
TC12910	35.00	64.00	13.00	TC	1.6						

Shaft size sequence - Metric

Shaft Size	Housing	Width	Type	Part No.	F/Grp	Shaft Size	Housing	Width	Type	Part No.	F/Grp
5.00	18.00	7.00	TC	TC12361	1.6	16.00	24.00	3.00	TC	TC12409	1.6
						16.00	24.00	6.00	TC	TC12410	1.6
6.00	15.00	5.00	TC	TC12362	1.6	16.00	28.00	7.00	TC	TC12411	1.6
6.00	16.00	7.00	TC	TC12363	1.6	16.00	30.00	7.00	TC	TC12412	1.6
6.00	22.00	7.00	TC	TC12364	1.6	16.00	32.00	7.00	TC	TC12413	1.6
						16.00	35.00	7.00	TC	TC12414	1.6
7.00	16.00	7.00	TC	TC12365	1.6	17.00	23.00	3.00	TC	TC12415	1.6
7.00	22.00	7.00	TC	TC12366	1.6	17.00	25.00	3.00	TC	TC12416	1.6
						17.00	28.00	7.00	TC	TC12417	1.6
8.00	16.00	7.00	TC	TC12367	1.6	17.00	30.00	7.00	TC	TC12418	1.6
8.00	18.00	7.00	TC	TC12368	1.6	17.00	32.00	7.00	TC	TC12419	1.6
8.00	22.00	7.00	TC	TC12369	1.6	17.00	35.00	7.00	TC	TC12420	1.6
8.00	24.00	7.00	TC	TC12370	1.6	17.00	37.00	10.00	TC	TC12421	1.6
						17.00	40.00	7.00	TC	TC12422	1.6
9.00	22.00	7.00	TC	TC12371	1.6	17.00	45.00	7.00	TC	TC12819	1.6
9.00	24.00	7.00	TC	TC12372	1.6	17.00	47.00	7.00	TC	TC12423	1.6
9.00	25.00	8.00	TC	TC12373	1.6						
9.00	26.00	7.00	TC	TC12374	1.6	18.00	26.00	4.00	TC	TC12424	1.6
9.00	28.00	8.00	TC	TC12375	1.6	18.00	28.00	7.00	TC	TC12425	1.6
						18.00	30.00	7.00	TC	TC12426	1.6
10.00	17.00	3.00	TC	TC12376	1.6	18.00	32.00	7.00	TC	TC12427	1.6
10.00	18.00	6.00	TC	TC12377	1.6	18.00	35.00	7.00	TC	TC12428	1.6
10.00	19.00	7.00	TC	TC12378	1.6	18.00	36.00	7.00	TC	TC12820	1.6
10.00	20.00	7.00	TC	TC12379	1.6	18.00	38.00	7.00	TC	TC12821	1.6
10.00	22.00	7.00	TC	TC12380	1.6	18.00	40.00	7.00	TC	TC12429	1.6
10.00	24.00	7.00	TC	TC12381	1.6						
10.00	25.00	7.00	TC	TC12382	1.6	19.00	32.00	7.00	TC	TC12430	1.6
10.00	26.00	7.00	TC	TC12383	1.6	19.00	35.00	7.00	TC	TC12822	1.6
10.00	28.00	7.00	TC	TC12384	1.6	19.00	36.00	7.00	TC	TC12823	1.6
						19.00	40.00	10.00	TC	TC12431	1.6
11.00	22.00	7.00	TC	TC12385	1.6	19.00	42.00	7.00	TC	TC12824	1.6
						19.00	45.00	7.00	TC	TC12825	1.6
12.00	19.00	3.00	TC	TC12386	1.6	19.00	47.00	7.00	TC	TC12826	1.6
12.00	22.00	7.00	TC	TC12387	1.6						
12.00	24.00	7.00	TC	TC12388	1.6	20.00	26.00	4.00	TC	TC12432	1.6
12.00	25.00	7.00	TC	TC12389	1.6	20.00	28.00	4.00	TC	TC12433	1.6
12.00	26.00	7.00	TC	TC12390	1.6	20.00	30.00	7.00	TC	TC12434	1.6
12.00	27.00	7.00	TC	TC12818	1.6	20.00	32.00	7.00	TC	TC12435	1.6
12.00	28.00	7.00	TC	TC12391	1.6	20.00	35.00	7.00	TC	TC12436	1.6
12.00	30.00	7.00	TC	TC12392	1.6	20.00	36.00	7.00	TC	TC12437	1.6
12.00	32.00	7.00	TC	TC12393	1.6	20.00	37.00	7.00	TC	TC12438	1.6
						20.00	38.00	7.00	TC	TC12439	1.6
13.00	20.00	5.00	TC	TC12394	1.6	20.00	40.00	7.00	TC	TC12440	1.6
						20.00	42.00	7.00	TC	TC12441	1.6
14.00	24.00	7.00	TC	TC12395	1.6	20.00	45.00	7.00	TC	TC12442	1.6
14.00	28.00	7.00	TC	TC12396	1.6	20.00	47.00	7.00	TC	TC12443	1.6
14.00	30.00	7.00	TC	TC12397	1.6	20.00	52.00	10.00	TC	TC12444	1.6
14.00	35.00	7.00	TC	TC12398	1.6						
						22.00	28.00	4.00	TC	TC12445	1.6
15.00	21.00	3.00	TC	TC12399	1.6	22.00	32.00	7.00	TC	TC12446	1.6
15.00	24.00	7.00	TC	TC12400	1.6	22.00	35.00	7.00	TC	TC12447	1.6
15.00	25.00	7.00	TC	TC12401	1.6	22.00	36.00	8.00	TC	TC12827	1.6
15.00	26.00	7.00	TC	TC12402	1.6	22.00	38.00	7.00	TC	TC12448	1.6
15.00	28.00	7.00	TC	TC12403	1.6	22.00	40.00	7.00	TC	TC12449	1.6
15.00	30.00	7.00	TC	TC12404	1.6	22.00	42.00	8.00	TC	TC12450	1.6
15.00	32.00	7.00	TC	TC12405	1.6	22.00	43.00	8.00	TC	TC12451	1.6
15.00	33.00	7.00	TC	TC12406	1.6	22.00	45.00	7.00	TC	TC12452	1.6
15.00	35.00	7.00	TC	TC12407	1.6	22.00	47.00	7.00	TC	TC12453	1.6
						22.00	52.00	8.00	TC	TC12828	1.6
16.00	22.00	3.00	TC	TC12408	1.6						

Size Reference No.	To Suit Shaft Dia.		To Suit Cylinder Dia.		Actual O-Ring Cross Section			
	ins	mm	ins	mm	ins	±	mm	±
001	1/32	0,79	3/32	2,36	.040	.003	1.02	.08
002	3/64	1,17	9/64	3,56	.050	.003	1.27	.08
003	1/16	1,59	3/16	4,76	.060	.003	1.52	.08
004	5/64	1,98	13/64	5,16	.070	.003	1.78	.08
005	7/64	2,77	15/64	5,94	.070	.003	1.78	.08
006	1/8	3,18	1/4	6,35	.070	.003	1.78	.08
007	5/32	3,96	9/32	7,14	.070	.003	1.78	.08
008	3/16	4,76	5/16	7,94	.070	.003	1.78	.08
009	7/32	5,54	11/32	8,71	.070	.003	1.78	.08
010	1/4	6,35	3/8	9,53	.070	.003	1.78	.08
011	5/16	7,94	7/16	11,11	.070	.003	1.78	.08
012	3/8	9,53	1/2	12,70	.070	.003	1.78	.08
013	7/16	11,11	9/16	14,29	.070	.003	1.78	.08
014	1/2	12,70	5/8	15,88	.070	.003	1.78	.08
015	9/16	14,29	11/16	17,46	.070	.003	1.78	.08
016	5/8	15,88	3/4	19,05	.070	.003	1.78	.08
017	11/16	17,46	13/16	20,64	.070	.003	1.78	.08
018	3/4	19,05	7/8	22,23	.070	.003	1.78	.08
019	13/16	20,64	15/16	23,81	.070	.003	1.78	.08
020	7/8	22,23	1	25,40	.070	.003	1.78	.08
021	15/16	23,81	1.1/16	27,00	.070	.003	1.78	.08
022	1	25,40	1.1/8	28,58	.070	.003	1.78	.08
023	1.1/16	27,00	1.3/16	30,16	.070	.003	1.78	.08
024	1.1/8	28,58	1.1/4	31,75	.070	.003	1.78	.08
025	1.3/16	30,16	1.5/16	33,34	.070	.003	1.78	.08
026	1.1/4	31,75	1.3/8	34,93	.070	.003	1.78	.08
027	1.5/16	33,34	1.7/16	36,51	.070	.003	1.78	.08
028	1.3/8	34,93	1.1/2	38,10	.070	.003	1.78	.08
029	1.1/2	38,10	1.5/8	41,28	.070	.003	1.78	.08
030	1.5/8	41,28	1.3/4	44,50	.070	.003	1.78	.08

Size Reference No.	To Suit Shaft Dia.		To Suit Cylinder Dia.		Actual O-Ring Cross Section			
	ins	mm	ins	mm	ins	±	mm	±
031	1.3/4	44,45	1.7/8	47,63	.070	.003	1.78	.08
032	1.7/8	47,63	2	50,80	.070	.003	1.78	.08
033	2	50,80	2.1/8	53,98	.070	.003	1.78	.08
034	2.1/8	53,98	2.1/4	57,15	.070	.003	1.78	.08
035	2.1/4	57,15	2.3/8	60,33	.070	.003	1.78	.08
036	2.3/8	60,33	2.1/2	63,50	.070	.003	1.78	.08
037	2.1/2	63,50	2.5/8	66,68	.070	.003	1.78	.08
038	2.5/8	66,68	2.3/4	69,85	.070	.003	1.78	.08
039	2.3/4	69,85	2.7/8	73,03	.070	.003	1.78	.08
040	2.7/8	73,03	3	76,20	.070	.003	1.78	.08
041	3	76,20	3.1/8	79,38	.070	.003	1.78	.08
042	3.1/4	82,55	3.3/8	85,73	.070	.003	1.78	.08
043	3.1/2	88,90	3.5/8	92,08	.070	.003	1.78	.08
044	3.3/4	95,25	3.7/8	98,43	.070	.003	1.78	.08
045	4	101,60	4.1/8	104,78	.070	.003	1.78	.08
046	4.1/4	107,95	4.3/8	111,13	.070	.003	1.78	.08
047	4.1/2	114,30	4.5/8	117,48	.070	.003	1.78	.08
048	4.3/4	120,65	4.7/8	123,83	.070	.003	1.78	.08
049	5	127,00	5.1/8	130,18	.070	.003	1.78	.08
050	5.1/4	133,35	5.3/8	136,53	.070	.003	1.78	.08
102	1/16	1,59	1/4	6,35	.103	.003	2.62	.08
103	3/32	2,36	9/32	7,14	.103	.003	2.62	.08
104	1/8	3,18	5/16	7,94	.103	.003	2.62	.08
105	5/32	3,96	11/32	8,71	.103	.003	2.62	.08
106	3/16	4,76	3/8	9,53	.103	.003	2.62	.08
107	7/32	5,54	13/32	10,31	.103	.003	2.62	.08
108	1/4	6,35	7/16	11,11	.103	.003	2.62	.08
109	5/16	7,94	1/2	12,70	.103	.003	2.62	.08
110	3/8	9,53	9/16	14,29	.103	.003	2.62	.08
111	7/16	11,11	5/8	15,88	.103	.003	2.62	.08

Size Reference No.	To Suit Shaft Dia.		To Suit Cylinder Dia.		Actual O-Ring Cross Section			
	ins	mm	ins	mm	ins	±	mm	±
112	1/2	12,70	11/16	17,46	.103	.003	2,62	.08
113	9/16	14,29	3/4	19,05	.103	.003	2,62	.08
114	5/8	15,88	13/16	20,64	.103	.003	2,62	.08
115	11/16	17,46	7/8	22,23	.103	.003	2,62	.08
116	3/4	19,05	15/16	23,81	.103	.003	2,62	.08
117	13/16	20,64	1	25,40	.103	.003	2,62	.08
118	7/8	22,23	1.1/16	27,00	.103	.003	2,62	.08
119	15/16	23,81	1.1/8	28,58	.103	.003	2,62	.08
120	1	25,40	1.3/16	30,16	.103	.003	2,62	.08
121	1.1/16	27,00	1.1/4	31,75	.103	.003	2,62	.08
122	1.1/8	28,58	1.5/16	33,34	.103	.003	2,62	.08
123	1.3/16	30,16	1.3/8	34,93	.103	.003	2,62	.08
124	1.1/4	31,75	1.7/16	36,51	.103	.003	2,62	.08
125	1.5/16	33,34	1.1/2	38,10	.103	.003	2,62	.08
126	1.3/8	34,93	1.9/16	39,69	.103	.003	2,62	.08
127	1.7/16	36,51	1.5/8	41,28	.103	.003	2,62	.08
128	1.1/2	38,10	1.11/16	42,86	.103	.003	2,62	.08
129	1.9/16	39,69	1.3/4	44,50	.103	.003	2,62	.08
130	1.5/8	41,28	1.13/16	46,04	.103	.003	2,62	.08
131	1.11/16	42,86	1.7/8	47,63	.103	.003	2,62	.08
132	1.3/4	44,50	1.15/16	49,21	.103	.003	2,62	.08
133	1.13/16	46,04	2	50,80	.103	.003	2,62	.08
134	1.7/8	47,63	2.1/16	52,39	.103	.003	2,62	.08
135	1.15/16	49,21	2.1/8	53,98	.103	.003	2,62	.08
136	2	50,80	2.3/16	55,56	.103	.003	2,62	.08
137	2.1/16	52,39	2.1/4	57,15	.103	.003	2,62	.08
138	2.1/8	53,98	2.5/16	58,74	.103	.003	2,62	.08
139	2.3/16	55,56	2.3/8	60,33	.103	.003	2,62	.08
140	2.1/4	57,15	2.7/16	61,91	.103	.003	2,62	.08
141	2.5/16	58,74	2.1/2	63,50	.103	.003	2,62	.08

Size Reference No.	To Suit Shaft Dia.		To Suit Cylinder Dia.		Actual O-Ring Cross Section			
	ins	mm	ins	mm	ins	±	mm	±
142	2.3/8	60,33	2.9/16	65,09	.103	.003	2,62	.08
143	2.7/16	61,91	2.5/8	66,68	.103	.003	2,62	.08
144	2.1/2	63,50	2.11/16	68,26	.103	.003	2,62	.08
145	2.9/16	65,09	2.3/4	69,85	.103	.003	2,62	.08
146	2.5/8	66,68	2.13/16	71,44	.103	.003	2,62	.08
147	2.11/16	68,26	2.7/8	73,03	.103	.003	2,62	.08
148	2.3/4	69,85	2.15/16	74,61	.103	.003	2,62	.08
149	2.13/16	71,44	3	76,20	.103	.003	2,62	.08
150	2.7/8	73,03	3.1/16	77,79	.103	.003	2,62	.08
151	3	76,20	3.3/16	80,96	.103	.003	2,62	.08
152	3.1/4	82,55	3.7/16	87,31	.103	.003	2,62	.08
153	3.1/2	88,90	3.11/16	93,66	.103	.003	2,62	.08
154	3.3/4	95,25	3.15/16	100,01	.103	.003	2,62	.08
155	4	101,60	4.3/16	106,36	.103	.003	2,62	.08
156	4.1/4	107,95	4.7/16	112,71	.103	.003	2,62	.08
157	4.1/2	114,30	4.11/16	119,06	.103	.003	2,62	.08
158	4.3/4	120,65	4.15/16	125,41	.103	.003	2,62	.08
159	5	127,00	5.3/16	131,76	.103	.003	2,62	.08
160	5.1/4	133,35	5.7/16	138,11	.103	.003	2,62	.08
161	5.1/2	139,70	5.11/16	144,46	.103	.003	2,62	.08
162	5.3/4	146,05	5.15/16	150,81	.103	.003	2,62	.08
163	6	152,40	6.3/16	157,16	.103	.003	2,62	.08
164	6.1/4	158,75	6.7/16	163,51	.103	.003	2,62	.08
165	6.1/2	165,10	6.11/16	169,86	.103	.003	2,62	.08
166	6.3/4	171,45	6.15/16	176,21	.103	.003	2,62	.08
167	7	177,80	7.3/16	182,56	.103	.003	2,62	.08
168	7.1/4	184,15	7.7/16	188,91	.103	.003	2,62	.08
169	7.1/2	190,50	7.11/16	195,26	.103	.003	2,62	.08
170	7.3/4	196,85	7.15/16	201,61	.103	.003	2,62	.08
171	8	203,20	8.3/16	207,96	.103	.003	2,62	.08

Size Reference No.	To Suit Shaft Dia.		To Suit Cylinder Dia.		Actual O-Ring Cross Section			
	ins	mm	ins	mm	ins	±	mm	±
172	8.1/4	209,55	8.7/16	214,31	.103	.003	2,62	.08
173	8.1/2	215,90	8.11/16	220,66	.103	.003	2,62	.08
174	8.3/4	222,25	8.15/16	227,01	.103	.003	2,62	.08
175	9	228,60	9.3/16	233,36	.103	.003	2,62	.08
176	9.1/4	234,95	9.7/16	239,71	.103	.003	2,62	.08
177	9.1/2	241,30	9.11/16	246,06	.103	.003	2,62	.08
178	9.3/4	247,65	9.15/16	252,41	.103	.003	2,62	.08
201	3/16	4,76	7/16	11,11	.139	.004	3,53	0,10
202	1/4	6,35	1/2	12,70	.139	.004	3,53	0,10
203	5/16	7,94	9/16	14,29	.139	.004	3,53	0,10
204	3/8	9,53	5/8	15,88	.139	.004	3,53	0,10
205	7/16	11,11	11/16	17,46	.139	.004	3,53	0,10
206	1/2	12,70	3/4	19,05	.139	.004	3,53	0,10
207	9/16	14,29	13/16	20,64	.139	.004	3,53	0,10
208	5/8	15,88	7/8	22,23	.139	.004	3,53	0,10
209	11/16	17,46	15/16	23,81	.139	.004	3,53	0,10
210	3/4	19,05	1	25,40	.139	.004	3,53	0,10
211	13/16	20,64	1.1/16	27,00	.139	.004	3,53	0,10
212	7/8	22,23	1.1/8	28,58	.139	.004	3,53	0,10
213	15/16	23,81	1.3/16	30,16	.139	.004	3,53	0,10
214	1	25,40	1.1/4	31,75	.139	.004	3,53	0,10
215	1.1/16	27,00	1.5/16	33,34	.139	.004	3,53	0,10
216	1.1/8	28,58	1.3/8	34,93	.139	.004	3,53	0,10
217	1.3/16	30,16	1.7/16	36,51	.139	.004	3,53	0,10
218	1.1/4	31,75	1.1/2	38,10	.139	.004	3,53	0,10
219	1.5/16	33,34	1.9/16	39,69	.139	.004	3,53	0,10
220	1.3/8	34,93	1.5/8	41,28	.139	.004	3,53	0,10
221	1.7/16	36,51	1.11/16	42,86	.139	.004	3,53	0,10
222	1.1/2	38,10	1.3/4	44,50	.139	.004	3,53	0,10
223	1.5/8	41,28	1.7/8	47,63	.139	.004	3,53	0,10

Size Reference No.	To Suit Shaft Dia.		To Suit Cylinder Dia.		Actual O-Ring Cross Section			
	ins	mm	ins	mm	ins	±	mm	±
224	1.3/4	44,50	2	50,80	.139	.004	3,53	0,10
225	1.7/8	47,63	2.1/8	53,98	.139	.004	3,53	0,10
226	2	50,80	2.1/4	57,15	.139	.004	3,53	0,10
227	2.1/8	53,98	2.3/8	60,33	.139	.004	3,53	0,10
228	2.1/4	57,15	2.1/2	63,50	.139	.004	3,53	0,10
229	2.3/8	60,33	2.5/8	66,68	.139	.004	3,53	0,10
230	2.1/2	63,50	2.3/4	69,85	.139	.004	3,53	0,10
231	2.5/8	66,68	2.7/8	73,03	.139	.004	3,53	0,10
232	2.3/4	69,85	3	76,20	.139	.004	3,53	0,10
233	2.7/8	73,03	3.1/8	79,38	.139	.004	3,53	0,10
234	3	76,20	3.1/4	82,55	.139	.004	3,53	0,10
235	3.1/8	79,38	3.3/8	85,73	.139	.004	3,53	0,10
236	3.1/4	82,55	3.1/2	88,90	.139	.004	3,53	0,10
237	3.3/8	85,73	3.5/8	92,08	.139	.004	3,53	0,10
238	3.1/2	88,90	3.3/4	95,25	.139	.004	3,53	0,10
239	3.5/8	92,08	3.7/8	98,43	.139	.004	3,53	0,10
240	3.3/4	95,25	4	101,60	.139	.004	3,53	0,10
241	3.7/8	98,43	4.1/8	104,78	.139	.004	3,53	0,10
242	4	101,60	4.1/4	107,95	.139	.004	3,53	0,10
243	4.1/8	104,78	4.3/8	111,13	.139	.004	3,53	0,10
244	4.1/4	107,95	4.1/2	114,30	.139	.004	3,53	0,10
245	4.3/8	111,13	4.5/8	117,48	.139	.004	3,53	0,10
246	4.1/2	114,30	4.3/4	120,65	.139	.004	3,53	0,10
247	4.5/8	117,48	4.7/8	123,83	.139	.004	3,53	0,10
248	4.3/4	120,65	5	127,00	.139	.004	3,53	0,10
249	4.7/8	123,83	5.1/8	130,18	.139	.004	3,53	0,10
250	5	127,00	5.1/4	133,35	.139	.004	3,53	0,10
251	5.1/8	130,18	5.3/8	136,53	.139	.004	3,53	0,10
252	5.1/4	133,35	5.1/2	139,70	.139	.004	3,53	0,10
253	5.3/8	136,53	5.5/8	142,88	.139	.004	3,53	0,10

Size Reference No.	To Suit Shaft Dia.		To Suit Cylinder Dia.		Actual O-Ring Cross Section			
	ins	mm	ins	mm	ins	±	mm	±
254	5.1/2	139,70	5.3/4	146,05	.139	.004	3,53	0,10
255	5.5/8	142,88	5.7/8	149,23	.139	.004	3,53	0,10
256	5.3/4	146,05	6	152,40	.139	.004	3,53	0,10
257	5.7/8	149,23	6.1/8	155,58	.139	.004	3,53	0,10
258	6	152,40	6.1/4	158,75	.139	.004	3,53	0,10
259	6.1/4	158,75	6.1/2	165,10	.139	.004	3,53	0,10
260	6.1/2	165,10	6.3/4	171,45	.139	.004	3,53	0,10
261	6.3/4	171,45	7	177,80	.139	.004	3,53	0,10
262	7	177,80	7.1/4	184,15	.139	.004	3,53	0,10
263	7.1/4	184,15	7.1/2	190,50	.139	.004	3,53	0,10
264	7.1/2	190,50	7.3/4	196,85	.139	.004	3,53	0,10
265	7.3/4	196,85	8	203,20	.139	.004	3,53	0,10
266	8	203,20	8.1/4	209,55	.139	.004	3,53	0,10
267	8.1/4	209,55	8.1/2	215,90	.139	.004	3,53	0,10
268	8.1/2	215,90	8.3/4	222,25	.139	.004	3,53	0,10
269	8.3/4	222,25	9	228,60	.139	.004	3,53	0,10
270	9	228,60	9.1/4	234,95	.139	.004	3,53	0,10
271	9.1/4	234,95	9.1/2	241,30	.139	.004	3,53	0,10
272	9.1/2	241,30	9.3/4	247,65	.139	.004	3,53	0,10
273	9.3/4	247,65	10	254,00	.139	.004	3,53	0,10
274	10	254,00	10.1/4	260,35	.139	.004	3,53	0,10
275	10.1/2	266,70	10.3/4	273,05	.139	.004	3,53	0,10
276	11	279,40	11.1/4	285,75	.139	.004	3,53	0,10
277	11.1/2	292,10	11.3/4	298,45	.139	.004	3,53	0,10
278	12	304,80	12.1/4	311,15	.139	.004	3,53	0,10
279	13	330,20	13.1/4	336,55	.139	.004	3,53	0,10
280	14	355,60	14.1/4	361,95	.139	.004	3,53	0,10
281	15	381,00	15.1/4	387,35	.139	.004	3,53	0,10
282	16	406,40	16.1/4	412,75	.139	.004	3,53	0,10
283	17	431,80	17.1/4	438,15	.139	.004	3,53	0,10
284	18	457,20	18.1/4	463,55	.139	.004	3,53	0,10

Size Reference No.	To Suit Shaft Dia.		To Suit Cylinder Dia.		Actual O-Ring Cross Section			
	ins	mm	ins	mm	ins	±	mm	±
309	7/16	11,11	13/16	20,64	.210	.005	5,34	0,13
310	1/2	12,70	7/8	22,23	.210	.005	5,34	0,13
311	9/16	14,29	15/16	23,81	.210	.005	5,34	0,13
312	5/8	15,88	1	25,40	.210	.005	5,34	0,13
313	11/16	17,46	1.1/16	27,00	.210	.005	5,34	0,13
314	3/4	19,05	1.1/8	28,58	.210	.005	5,34	0,13
315	13/16	20,64	1.3/16	30,16	.210	.005	5,34	0,13
316	7/8	22,23	1.1/4	31,75	.210	.005	5,34	0,13
317	15/16	23,81	1.5/16	33,34	.210	.005	5,34	0,13
318	1	25,40	1.3/8	34,93	.210	.005	5,34	0,13
319	1.1/16	27,00	1.7/16	36,51	.210	.005	5,34	0,13
320	1.1/8	28,58	1.1/2	38,10	.210	.005	5,34	0,13
321	1.3/16	30,16	1.9/16	39,69	.210	.005	5,34	0,13
322	1.1/4	31,75	1.5/8	41,28	.210	.005	5,34	0,13
323	1.5/16	33,34	1.11/16	42,86	.210	.005	5,34	0,13
324	1.3/8	34,93	1.3/4	44,50	.210	.005	5,34	0,13
325	1.1/2	38,10	1.7/8	47,63	.210	.005	5,34	0,13
326	1.5/8	41,28	2	50,80	.210	.005	5,34	0,13
327	1.3/4	44,50	2.1/8	53,98	.210	.005	5,34	0,13
328	1.7/8	47,63	2.1/4	57,15	.210	.005	5,34	0,13
329	2	50,80	2.3/8	60,33	.210	.005	5,34	0,13
330	2.1/8	53,98	2.1/2	63,50	.210	.005	5,34	0,13
331	2.1/4	57,15	2.5/8	66,68	.210	.005	5,34	0,13
332	2.3/8	60,33	2.3/4	69,85	.210	.005	5,34	0,13
333	2.1/2	63,50	2.7/8	73,03	.210	.005	5,34	0,13
334	2.5/8	66,68	3	76,20	.210	.005	5,34	0,13
335	2.3/4	69,85	3.1/8	79,38	.210	.005	5,34	0,13
336	2.7/8	73,03	3.1/4	82,55	.210	.005	5,34	0,13
337	3	76,20	3.3/8	85,73	.210	.005	5,34	0,13

Size Reference No.	To Suit Shaft Dia.		To Suit Cylinder Dia.		Actual O-Ring Cross Section			
	ins	mm	ins	mm	ins	±	mm	±
338	3.1/8	79,38	3.1/2	88,90	.210	.005	5,34	0,13
339	3.1/4	82,55	3.5/8	92,08	.210	.005	5,34	0,13
340	3.3/8	85,73	3.3/4	95,25	.210	.005	5,34	0,13
341	3.1/2	88,90	3.7/8	98,43	.210	.005	5,34	0,13
342	3.5/8	92,08	4	101,60	.210	.005	5,34	0,13
343	3.3/4	95,25	4.1/8	104,78	.210	.005	5,34	0,13
344	3.7/8	98,43	4.1/4	107,95	.210	.005	5,34	0,13
345	4	101,60	4.3/8	111,13	.210	.005	5,34	0,13
346	4.1/8	104,78	4.1/2	114,30	.210	.005	5,34	0,13
347	4.1/4	107,95	4.5/8	117,48	.210	.005	5,34	0,13
348	4.3/8	111,13	4.3/4	120,65	.210	.005	5,34	0,13
349	4.1/2	114,30	4.7/8	123,83	.210	.005	5,34	0,13
350	4.5/8	117,48	5	127,00	.210	.005	5,34	0,13
351	4.3/4	120,65	5.1/8	130,18	.210	.005	5,34	0,13
352	4.7/8	123,83	5.1/4	133,35	.210	.005	5,34	0,13
353	5	127,00	5.3/8	136,53	.210	.005	5,34	0,13
354	5.1/8	130,18	5.1/2	137,70	.210	.005	5,34	0,13
355	5.1/4	133,35	5.5/8	142,88	.210	.005	5,34	0,13
356	5.3/8	136,53	5.3/4	146,05	.210	.005	5,34	0,13
357	5.1/2	137,70	5.7/8	149,23	.210	.005	5,34	0,13
358	5.5/8	142,88	6	152,40	.210	.005	5,34	0,13
359	5.3/4	146,05	6.1/8	155,58	.210	.005	5,34	0,13
360	5.7/8	149,23	6.1/4	158,75	.210	.005	5,34	0,13
361	6	152,40	6.3/8	161,93	.210	.005	5,34	0,13
362	6.1/4	158,75	6.5/8	168,28	.210	.005	5,34	0,13
363	6.1/2	165,10	6.7/8	174,63	.210	.005	5,34	0,13
364	6.3/4	171,45	7.1/8	180,98	.210	.005	5,34	0,13
365	7	177,80	7.3/8	187,33	.210	.005	5,34	0,13
366	7.1/4	184,15	7.5/8	193,68	.210	.005	5,34	0,13
367	7.1/2	190,50	7.7/8	200,03	.210	.005	5,34	0,13

Size Reference No.	To Suit Shaft Dia.		To Suit Cylinder Dia.		Actual O-Ring Cross Section			
	ins	mm	ins	mm	ins	±	mm	±
368	7.3/4	196,85	8.1/8	206,38	.210	.005	5,34	0,13
369	8	203,20	8.3/8	212,73	.210	.005	5,34	0,13
370	8.1/4	209,55	8.5/8	219,08	.210	.005	5,34	0,13
371	8.1/2	215,90	8.7/8	225,43	.210	.005	5,34	0,13
372	8.3/4	222,25	9.1/8	231,78	.210	.005	5,34	0,13
373	9	228,60	9.3/8	238,13	.210	.005	5,34	0,13
374	9.1/4	234,95	9.5/8	244,48	.210	.005	5,34	0,13
375	9.1/2	241,30	9.7/8	250,83	.210	.005	5,34	0,13
376	9.3/4	247,65	10.1/8	257,18	.210	.005	5,34	0,13
377	10	254,00	10.3/8	263,53	.210	.005	5,34	0,13
378	10.1/2	266,70	10.7/8	276,23	.210	.005	5,34	0,13
379	11	279,40	11.3/8	288,93	.210	.005	5,34	0,13
380	11.1/2	292,10	11.7/8	301,63	.210	.005	5,34	0,13
381	12	304,80	12.3/8	314,33	.210	.005	5,34	0,13
382	13	330,20	13.3/8	339,73	.210	.005	5,34	0,13
383	14	355,60	14.3/8	365,13	.210	.005	5,34	0,13
384	15	381,00	15.3/8	390,53	.210	.005	5,34	0,13
385	16	406,40	16.3/8	415,93	.210	.005	5,34	0,13
386	17	431,80	17.3/8	441,33	.210	.005	5,34	0,13
387	18	457,20	18.3/8	466,73	.210	.005	5,34	0,13
388	19	482,60	19.3/8	492,13	.210	.005	5,34	0,13
389	20	508,00	20.3/8	517,53	.210	.005	5,34	0,13
390	21	533,40	21.3/8	542,93	.210	.005	5,34	0,13
391	22	558,80	22.3/8	568,33	.210	.005	5,34	0,13
392	23	584,20	23.3/8	593,73	.210	.005	5,34	0,13
393	24	609,60	24.3/8	619,13	.210	.005	5,34	0,13
394	25	635,00	25.3/8	644,53	.210	.005	5,34	0,13
395	26	660,40	26.3/8	669,93	.210	.005	5,34	0,13

Size Reference No.	To Suit Shaft Dia.		To Suit Cylinder Dia.		Actual O-Ring Cross Section			
	ins	mm	ins	mm	ins	±	mm	±
425	4.1/2	114,30	5	127,00	.275	.006	6,99	0,15
426	4.5/8	117,48	5.1/8	130,18	.275	.006	6,99	0,15
427	4.3/4	120,65	5.1/4	133,35	.275	.006	6,99	0,15
428	4.7/8	123,83	5.3/8	136,53	.275	.006	6,99	0,15
429	5	127,00	5.1/2	137,70	.275	.006	6,99	0,15
430	5.1/8	130,18	5.5/8	142,88	.275	.006	6,99	0,15
431	5.1/4	133,35	5.3/4	146,05	.275	.006	6,99	0,15
432	5.3/8	136,53	5.7/8	149,23	.275	.006	6,99	0,15
433	5.1/2	137,70	6	152,40	.275	.006	6,99	0,15
434	5.5/8	142,88	6.1/8	155,58	.275	.006	6,99	0,15
435	5.3/4	146,05	6.1/4	158,75	.275	.006	6,99	0,15
436	5.7/8	149,23	6.3/8	161,93	.275	.006	6,99	0,15
437	6	152,40	6.1/2	165,10	.275	.006	6,99	0,15
438	6.1/4	158,75	6.3/4	171,45	.275	.006	6,99	0,15
439	6.1/2	165,10	7	177,80	.275	.006	6,99	0,15
440	6.3/4	171,45	7.1/4	184,15	.275	.006	6,99	0,15
441	7	177,80	7.1/2	190,50	.275	.006	6,99	0,15
442	7.1/4	184,15	7.3/4	196,85	.275	.006	6,99	0,15
443	7.1/2	190,50	8	203,20	.275	.006	6,99	0,15
444	7.3/4	196,85	8.1/4	209,55	.275	.006	6,99	0,15
445	8	203,20	8.1/2	215,90	.275	.006	6,99	0,15
445A	8.1/4	209,55	8.3/4	222,25	.275	.006	6,99	0,15
446	8.1/2	215,90	9	228,60	.275	.006	6,99	0,15
446A	8.3/4	222,25	9.1/4	234,90	.275	.006	6,99	0,15
447	9	228,60	9.1/2	241,30	.275	.006	6,99	0,15
447A	9.1/4	234,90	9.3/4	247,65	.275	.006	6,99	0,15
448	9.1/2	241,30	10	254,00	.275	.006	6,99	0,15
448A	9.3/4	247,65	10.1/4	260,35	.275	.006	6,99	0,15
449	10	254,00	10.1/2	266,70	.275	.006	6,99	0,15
449A	10.1/4	260,35	10.3/4	273,05	.275	.006	6,99	0,15

Size Reference No.	To Suit Shaft Dia.		To Suit Cylinder Dia.		Actual O-Ring Cross Section			
	ins	mm	ins	mm	ins	±	mm	±
450	10.1/2	266,70	11	279,40	.275	.006	6,99	0,15
450A	10.3/4	273,05	11.1/4	285,75	.275	.006	6,99	0,15
451	11	279,40	11.1/2	292,10	.275	.006	6,99	0,15
451A	11.1/4	285,75	11.3/4	298,45	.275	.006	6,99	0,15
452	11.1/2	292,10	12	304,80	.275	.006	6,99	0,15
452A	11.3/4	298,45	12.1/4	311,15	.275	.006	6,99	0,15
453	12	304,80	12.1/2	317,50	.275	.006	6,99	0,15
454	12.1/2	317,50	13	330,20	.275	.006	6,99	0,15
455	13	330,20	13.1/2	342,90	.275	.006	6,99	0,15
456	13.1/2	342,90	14	355,60	.275	.006	6,99	0,15
457	14	355,60	14.1/2	368,30	.275	.006	6,99	0,15
458	14.1/2	368,30	15	381,00	.275	.006	6,99	0,15
459	15	381,00	15.1/2	393,70	.275	.006	6,99	0,15
460	15.1/2	393,70	16	406,40	.275	.006	6,99	0,15
461	16	406,40	16.1/2	419,10	.275	.006	6,99	0,15
462	16.1/2	419,10	17	431,80	.275	.006	6,99	0,15
463	17	431,80	17.1/2	444,50	.275	.006	6,99	0,15
464	17.1/2	444,50	18	457,20	.275	.006	6,99	0,15
465	18	457,20	18.1/2	469,90	.275	.006	6,99	0,15
466	18.1/2	469,90	19	482,60	.275	.006	6,99	0,15
467	19	482,60	19.1/2	495,30	.275	.006	6,99	0,15
468	19.1/2	495,30	20	508,00	.275	.006	6,99	0,15
469	20	508,00	20.1/2	520,70	.275	.006	6,99	0,15
470	21	533,40	21.1/2	546,10	.275	.006	6,99	0,15
471	22	558,80	22.1/2	571,50	.275	.006	6,99	0,15
472	23	584,20	23.1/2	596,90	.275	.006	6,99	0,15
473	24	609,60	24.1/2	622,30	.275	.006	6,99	0,15
474	25	635,00	25.1/2	647,70	.275	.006	6,99	0,15
475	26	660,40	26.1/2	673,10	.275	.006	6,99	0,15



O RINGS

Available in both Metric and British Standard (BS) size range

Materials:

- Nitrile or Buna N (NBR)
 - High Nitrile (HNBR)
 - Fluorocarbon Rubber (Viton)
 - Silicone Rubber
 - EPDM
- Backup rings
 - O Ring Kit
 - O Ring Cord
 - O Ring Adhesive
 - O Ring Lubricant

O-Rings Service Kits



Cross section diameter gauges moulded into the o-ring kit box itself, are accurately calibrated cross section slots. These slots assure precision measurement of o-rings to be replaced.

ABC Silverwater
7/24 Vore St
Silverwater NSW 2128
p:02:9648 0755

ABC Smithfield
1/11 Cullen Place
Smithfield NSW 2164
p:02 9725 5944

ABC Brookvale
16 Powells Rd
Brookvale NSW 2100
p:02 9939 2555